

Single Location Means for: Sutherland | District: North | Early-Season Test.

Brand Name	Hybrid	MG	Traits		Single Location Means	
			Herb Tech	Soybean Seed Trt	Yield	Yield %
Asgrow	AG20X9	2.0	RR2X	Other	63.73	111.51
Viking	2155N	2.1	Conv	CM	63.06	110.34
Golden Harvest	GH2230X	2.2	RR2X	Clar+Mer	61.21	107.10
Renk	RS213NR2	2.2	LLGT27	ILVO	61.10	106.92
Golden Harvest	GH1915X	1.9	RR2X	Clar+Mer	60.62	106.09
Credeuz	CZ1549GTLL	1.7	LLGT27	PV+ILVO	60.39	105.68
NK Brand	S21-W8X	2.1	RR2X	CCB	60.31	105.54
Viking	2188AT12N	2.2	Conv	CM	60.20	105.34
P3 Genetics	P3 2021E	2.0	E3	CMV+ILVO	60.07	105.11
Asgrow	AG19X0	1.9	RR2X	Other	59.83	104.70
P3 Genetics	P3 2023E	2.2	E3	CMV+ILVO	59.33	103.83
Four Star	3X221	2.2	RR2X	Spir348	59.30	103.77
Titan Pro	22E8	2.2	E3	INT-STE+ILVO	59.13	103.47
Credeuz	CZ2230GTLL	2.2	LLGT27	PV+ILVO	59.10	103.42
Viking	2018N	2.0	Conv	CM	58.66	102.64
Dyna-Gro	S19XT30	1.9	RR2X	E-VIP	58.54	102.44
Dyna-Gro	S21EN70	2.1	E3	E-VIP	58.32	102.05
Credeuz	CZ1859GTLL	1.8	LLGT27	PV+ILVO	58.28	101.98
NK Brand	S14-U9X	1.4	RR2X	CCB	58.08	101.63
Titan Pro	20E9	2.0	E3	INT-STE+ILVO	57.92	101.36
Credeuz	CZ2101LL	2.1	LL	PV+ILVO	57.89	101.30
Pioneer	P21A28X	2.1	RR2X	CMV	57.83	101.20
Asgrow	AG18X0	1.8	RR2X	Other	57.60	100.80
Iowa State	IA2112RA12	2.0	Conv	CM	57.47	100.57
Credeuz	CZ1738LL	1.7	LL	PV+ILVO	57.36	100.37
Asgrow	AG22X9	2.2	RR2X	Other	57.30	100.27
LG Seeds	LGS1776RX	1.7	RR2X	ILVO	56.74	99.29
Iowa State	IA10012	2.0	Conv	CMV	56.53	98.92
Four Star	EX3112	1.9	RR2X	Spir348	56.00	98.00
Four Star	EXP3110	2.2	RR2X	Spir348	55.94	97.88
Cornelius	CB18X80	1.8	RR2X	CMV+ILVO	55.91	97.84
P3 Genetics	P32018E	1.9	E3	CMV+ILVO	55.69	97.45
LG Seeds	LGS2007RX	2.0	RR2X	ILVO	55.64	97.36
P3 Genetics	P31920E	2.2	E3	CMV+ILVO	55.42	96.97
Iowa State	IA2102	2.0	Conv	CM	55.31	96.78
Dyna-Gro	S21XT49	2.1	RR2X	E-VIP	55.27	96.71
Cornelius	CB20X22	2.0	RR2X	CMV+ILVO	55.20	96.59
Titan Pro	20GL8	2.0	LLGT27	INT-STE+ILVO	55.18	96.56
Titan Pro	19E8	1.9	E3	INT-STE+ILVO	55.02	96.29
Iowa State	IA10008	2.0	Conv	CMV	54.56	95.47
LG Seeds	LGS1635RX	1.8	RR2X	ILVO	52.98	92.71
Cornelius	CB21X55	2.1	RR2X	CMV+ILVO	52.14	91.25
Iowa State	AR17-279009	2.1	Conv	CMV	51.59	90.28
Iowa State	AX19287-2-35	1.5	Conv	CMV	47.71	83.49
Iowa State	AR17-179015	1.9	Conv	CMV	46.12	80.70
Experiment Mean					57.15	
Minimum Mean					46.12	
Maximum Mean					63.73	
LSD(0.25)					1.84	
Effective Error MS					4.96	
Coefficient of Variability					3.85	

Single Location Means for: Sutherland District: North Full-Season Test.						
			Traits		Single Location Means	
Brand Name	Hybrid	MG	Herb Tech	Soybean Seed Trt	Yield	Yield %
LG Seeds	LGS2444RX	2.4	RR2X	ILVO	62.70	106.52
Pioneer	P27A17X	2.7	RR2X	CMV	62.69	106.50
Pioneer	P23A32X	2.3	RR2X	CMV	62.58	106.31
Viking	2418N	2.4	Conv	CM	61.95	105.24
Renk	RS248NX	2.4	RR2X	CM	61.92	105.20
Credenz	CZ 2601LL	2.6	LL	PV+ILVO	61.75	104.90
Titan Pro	TP-24X87	2.4	RR2X	INT-STE+ILVO	61.73	104.86
Renk	Genesis G2340E	2.3	E3	ILVO	61.40	104.32
LG Seeds	LGS2417RX	2.4	RR2X	ILVO	61.24	104.03
Dyna-Gro	S24LL98	2.4	LL	E-VIP	61.01	103.64
Asgrow	AG24X9	2.4	RR2X	Other	60.89	103.43
Four Star	3X241	2.4	RR2X	Spir348	60.78	103.25
Pioneer	P25A70R	2.5	RR2Y	CMV	60.48	102.74
Cornelius	CB24X64	2.4	RR2X	CMV+ILVO	60.47	102.73
Golden Harvest	GH2552X	2.5	RR2X	Clar+Mer	60.35	102.53
P3 Genetics	P3 2025B	2.5	LLGT27	CMV+ILVO	60.00	101.94
Asgrow	AG23X9	2.3	RR2X	Other	59.65	101.33
Dyna-Gro	S24XT08	2.4	RR2X	E-VIP	59.31	100.75
Iowa State	IA20023	2.3	Conv	CMV	59.10	100.40
NK Brand	S25-V8X	2.5	RR2X	CCB	58.53	99.43
Titan Pro	23E9	2.3	E3	INT-STE+ILVO	58.38	99.17
Credenz	CZ 2312LL	2.3	LL	PV+ILVO	58.04	98.61
Credenz	CZ 2579GTLL	2.7	LLGT27	PV+ILVO	58.02	98.57
Four Star	3X271	2.7	RR2X	Spir348	57.95	98.45
Asgrow	AG27X0	2.7	RR2X	Other	57.73	98.07
Dyna-Gro	S23XT90	2.3	RR2X	E-VIP	57.69	98.01
NK Brand	S27-M8X	2.7	RR2X	CCB	56.87	96.62
Viking	2340KN	2.3	Conv	CM	56.50	95.98
LG Seeds	C2580RX	2.3	RR2X	ILVO	56.35	95.74
Four Star	3X262	2.6	RR2X	Spir348	56.21	95.50
Golden Harvest	GH2788X	2.7	RR2X	Clar+Mer	55.49	94.26
Renk	O-26GL	2.5	RR2X	ILVO	55.10	93.60
Titan Pro	25E8	2.5	E3	INT-STE+ILVO	54.87	93.21
P3 Genetics	P3 1924E	2.4	E3	CMV+ILVO	54.71	92.94
Asgrow	AG25X0	2.5	RR2X	Other	53.40	90.71
Viking	N2358	2.3	Conv	None	53.29	90.54
Experiment Mean					58.86	0.00
Minimum Mean					53.29	0.00
Maximum Mean					62.70	0.00
LSD(0.25)					1.84	0.00
Effective Error MS					4.96	0.00
Coefficient of Variability					3.85	0.00