

SOUTH DAKOTA STATE UNIVERSITY College of Agriculture, Food and Environmental Sciences

South Dakota State University Extension South Dakota Agricultural Experiment Station at SDSU

2023 South Dakota Oat Variety Trial Results Sturgis

Jonathan Kleinjan | SDSU Extension Agronomist Christopher Graham | SDSU Extension Agronomist Kevin Kirby | Agricultural Research Manager Shawn Hawks | Agricultural Research Manager Bruce Swan | Agricultural Research Manager Travis Iverson | Senior Research Technician

Cooperator:	South Dakota State University Sturgis Research Farm
Location:	44.424167°, -103.376111°
Soil Type:	Nunn Ioam, 0-2% slopes
Previous crop:	field peas
Tillage:	no-till
Row spacing:	10"
Seeding Rate:	1.2 million PLS/acre
Fertilizer:	
-Starter:	6 gal/acre 10-25-0-5S25Z
-Other:	40 gal/acre 28-0-0 mid-row banded
Herbicide:	
-Burndown:	16 oz/acre WideMatch + 32 oz/acre Roundup
-Post:	none
Fungicide:	none
Date seeded:	4/12/2023
Date harvested:	8/9/2023

SDSU Extension is an equal opportunity provider and employer in accordance with the nondiscrimination policies of South Dakota State University, the South Dakota Board of Regents and the United States Department of Agriculture.



2023 South Dakota Oat Variety Trial Results Sturgis

South Dakota State University Extension

Table 1. 2023 oat variety performance trial results (average of 4 replications) at Sturgis, SD. Entries are sorted by overall 3-year yield. Varieties yielding in the top 1/3 of the trial are boldfaced and shaded light blue.

Variety	Height (in)	Lodging* (1-5)	Test Wt (Ibs)	2021 (bu/a)	2022 (bu/a)	2023 (bu/a)	2-year (bu/a)	3-year (bu/a)	
CDC Endure	not	not	38.2	not	not	148.2	not	not	
CS Camden	reported	reported	37.1	harvested	harvested	143.3	available	available	
2018Y0689	-	-	36.3	-	-	120.1	-	-	
Rushmore	-	-	35.8	-	-	111.1	-	-	
2018Y1315	-	-	32.3	-	-	107.0	-	-	
Shelby427	-	-	36.5	-	-	97.7	-	-	
Goliath	-	-	37.9	-	-	93.5	-	-	
Warrior	-	-	32.9	-	-	89.9	-	-	
SD-Buffalo	-	_	33.8	-	-	84.8	-	-	
Hayden	-	-	33.1	-	-	82.5	-	-	
MN Pearl	-	-	31.9	-	-	80.6	-	-	
Deon	-	-	33.6	-	-	79.3	-	-	
Trial Average#	-	_	35.3	-	-	97.6	-	-	
LSD(0.05)+	-	-	1.6	-	-	13	-	-	
C.V.%‡	-	-	-	-	-	9.4	-	-	
* Lodging score: 1. perfectly standing: to 5. completely flat.									

* Lodging score: 1, perfectly standing; to 5, completely flat.

Trial averages may include values from experimental lines that are not reported.

† Value required (≥LSD) to determine if varieties are significantly different from one another.

‡ C.V. is a measure of variability or experimental error, 15% or less is considered acceptable.