



**SOUTH DAKOTA
STATE UNIVERSITY**
College of Agriculture, Food
and Environmental Sciences

South Dakota State University Extension
South Dakota Agricultural Experiment Station at SDSU

2023 South Dakota Conventional Soybean Variety Trial Results Alexandria

Jonathan Kleinjan | SDSU Extension Agronomist
Kevin Kirby | Agricultural Research Manager
Shawn Hawks | Agricultural Research Manager

Location: 5 1/2 miles north and 1 1/2 miles east of Alexandria in Hanson County, SD
43.745496°, -97.762325°

Cooperator: Jared Schultz

Soil Type: Prosper-Stickney complex, 0-2% slopes

Fertilizer: none

Previous crop: corn

Tillage: no-till

Row spacing: 30 inches

Seeding Rate: 150,000/acre

Herbicide: Fall pre: 3 oz/acre flumioxazin
Pre: 32 oz/acre Roundup Powermax + 8 oz/acre sulfentrazone & imazethapyr +
4 oz/acre metribuzin
Post: 14 oz/acre fomesafen + 16 oz/acre metolachlor + 10 oz/acre clethodim

Insecticide: none

Date seeded: 5/22/2023

Date harvested: 10/23/2023

SDSU Extension is an equal opportunity provider and employer in accordance with the nondiscrimination policies of South Dakota State University, the South Dakota Board of Regents and the United States Department of Agriculture.

Learn more at extension.sdstate.edu.

© 2023, South Dakota Board of Regents

S-0002-07



2023 South Dakota Conventional Soybean Variety Trial Results Alexandria

**SOUTH DAKOTA STATE
UNIVERSITY EXTENSION**

Table 1. Conventional soybean performance results (average of 4 replications - **Maturity Groups I**) at Alexandria, SD.

Variety Information		Agronomic Performance			
Brand	Variety	Maturity Rating	Yield (bu/ac@13%)	Moisture (%)	Lodging Score (1-5)*
MN AES	MN1807CN	1.8	52.1	13.6	1.0
LG Seeds	LGS1684	1.6	51.8	13.8	1.0
Miller Hybrids	1938	1.9	46.9	12.8	1.0
Viking Seed	VK 1718N	1.7	46.5	13.8	1.0
Richland IFC	MK146	1.1	44.7	14.4	1.0
SD AES	BROOKINGS	1.7	42.9	14.0	1.0
Check	AG15XF2	1.5	41.0	13.7	1.0
Richland IFC	MK808CN	0.8	37.5	14.4	1.0
Brushvale Seed	BS1940	1.9	34.7	13.9	1.0
Trial Average			43.3	13.8	1.0
LSD (0.05)†			3.5	0.6	-
C.V.‡			5.7	-	-

* Lodging Score (1 = no lodging to 5 = flat on the ground)

† Yield or moisture value required (\geq LSD) to determine if varieties are significantly different from one another.

‡ C.V. is a measure of variability or experimental error, 15% or less is acceptable.



**SOUTH DAKOTA STATE
UNIVERSITY EXTENSION**

2023 South Dakota Conventional Soybean Variety Trial Results Alexandria

Table 2. Conventional soybean performance results (average of 4 replications - **Maturity Group II**) at Alexandria, SD.

Variety Information		Agronomic Performance			
Brand	Variety	Maturity Rating	Yield (bu/ac@13%)	Moisture (%)	Lodging Score (1-5)*
Virtue	V2922	2.9	58.4	13.3	1.0
Miller Hybrids	2738	2.7	49.4	13.1	1.0
Virtue	V2122	2.1	48.0	13.4	1.0
Viking Seed	VK 2418N	2.4	46.3	13.2	1.0
Viking Seed	VK 2340KN	2.3	45.3	13.6	1.0
Viking Seed	VK 2022N	2.0	44.6	12.7	1.0
Viking Seed	VK 2155N	2.1	42.5	13.2	1.0
Check	AG15XF2	1.5	42.0	13.2	1.0
Miller Hybrids	2508	2.5	41.0	13.0	1.0
LG Seeds	LGS2020	2.0	39.5	12.7	1.0
Richland IFC	MK373	2.0	39.5	12.8	1.0
LG Seeds	LGS2329	2.3	38.5	13.8	1.0
Miller Hybrids	2238	2.2	37.3	13.8	1.0
Trial Average			44.0	13.2	1.0
LSD (0.05)†			3.1	0.4	-
C.V.‡			4.9	-	-

* Lodging Score (1 = no lodging to 5 = flat on the ground)
† Yield or moisture value required (≥LSD) to determine if varieties are significantly different from one another.
‡ C.V. is a measure of variability or experimental error, 15% or less is acceptable.