first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] EASTON, MN

Dru Martin, Faribault County, MN 56025

Early-Season Test	**97** - **102** Day CRM B2026MNSW06a
Top 30 of 39	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Enlist, Liberty
SOIL DESCRIPTION:	Dickinson loamy sand, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 4.55 pH, 3.16% OM, 16.04 CEC, high P, medium K, low S, low B, high Zn
CROP PROTECTION:	Harness (H), Aztec (I), Impact (H), Atrazine 4l (H), Fungicide, Unspecified (F)
FERTILITY - Applied N:	175 Spring, 42 Sidedress, 4,000 gal Hog Manure (included)
Applied N-P-K (units):	217-102-108
SEEDED - RATE - ROW:	May 12 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 28 33.3 /A
PEST & DISEASE RISK:	Fusarium, Gibberella, Pythium*

TEST COMMENTS:

Planting and early season conditions were excellent here. Dru told me this farm is one of his best if rainfall is plentiful. As with many sites in the MNSW Region, a windstorm in late August caused stalk lodging in some hybrids. This storm was accompanied by hail that shredded leaves as well. In spite of these challenges, most hybrids stood well at harvest. Rainfall was below average until the VT stage, so roots grew deep. Later season rainfall was above average. Fungicide was applied at the VT stage.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Heine	7291PCE ⇗	PCE	102	**266.7**	16.6	0	33.3	1098	1
Titan Pro	57-01 PCE ⇗	PCE	101	**263.1**	16.5	0	33.3	1085	2
Heine	7070PCE ⇗	PCE	100	**259.7**	16.3	0	33.3	1074	3
Hoegemeyer	7108V ⇗	VE	101	**258.7**	16.1	0	32.4	1072	4
Anderson	4601PCE ⇗	PCE	100	**257.7**	16.0	3	32.8	1070	5
Titan Pro	62-02 SSP ⇗	STXP	102	255.6	16.1	1	33.7	1059	6
Titan Pro	55-99 ⇗	CONV	99	254.8	16.5	0	33.3	1051	7
Renk	RK630TRE ⇗	TRE	102	254.2	16.4	1	33.3	1050	8
Jacobsen	JS0205TRE ⇗	TRE	102	252.5	16.6	0	33.7	1040	10
DeKalb	DKC101-33RIB GC ⇗	STXP	101	249.9	16.3	1	32.8	1033	11
Prairie Hybrids	1556 ⇗	CONV	101	249.3	16.3	0	33.7	1031	12
Renk	RK5699TRE ⇗	TRE	100	248.8	16.5	5	33.7	1026	13
Renk	RK6610PCE ⇗	PC	101	248.6	16.5	0	35.1	1025	14
Wyffels	W2674RIB ⇗	PCE	101	247.4	16.7	0	32.8	1018	16
Wyffels	W2105 ⇗	TRE	99	245.9	16.1	1	32.8	1020	15
Enestvedt	*E514 ⇗*	*CONV*	*103*	*245.8*	*16.5*	*0*	*34.2*	*1014*	*18*
Jacobsen	JS0034SSP ⇗	STXP	100	245.2	16.1	0	32.4	1016	17
Augusta	A4050-DS ⇗	DS	100	244.1	16.8	14	33.7	1003	19
Enestvedt	E539 ⇗	CONV	102	242.2	16.3	7	32.8	1002	20
Heine	7141TRE ⇗	TRE	101	237.2	16.6	1	32.4	977	21
DeKalb	DKC102-18 GC ⇗	STXP	102	236.1	16.3	0	32.4	977	22
Renk	RK5670VT4PRO ⇗	VT4P	99	235.5	16.5	31	32.4	972	23
Heine	7480DGVT2PRIB ⇗	VT2PDG	102	233.9	16.6	0	33.3	964	24
Titan Pro	68-98 PCE ⇗	PCE	98	233.8	16.6	0	34.2	964	25
Jacobsen	JS0342DGVT2P ⇗	VT2PDG	102	233.3	16.5	3	34.6	962	29
Wyffels	W2867 ⇗	VT4P	102	233.3	16.4	0	33.3	964	26
Viking | Blue River	67-00 ⇗	CONV	100	232.5	16.2	12	33.7	963	28
Hoegemeyer	7047V ⇗	VE	100	232.4	16.1	0	34.2	964	27
Heine	7085VT4PRIB ⇗	VT4P	100	231.9	16.0	11	33.7	962	30
Jacobsen	JS9863VT4P ⇗	VT4P	98	231.7	16.2	1	33.3	959	31
Pioneer	P03951PCE CK	PCE	103	252.3	16.3	0	33.7	1044	9
			Averages =	**240.5**	**16.4**	**4**	**33.3**	**993**	
			LSD (0.10) =	15.8	0.4	11			
			LSD (0.25) =	8.3	0.2	6			
			C.V. =	6.2					

Historic yield: 210.32 bu/a, 23 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Report Date: 10/29/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] EASTON, MN

Dru Martin, Faribault County, MN 56025

Full-Season Test	**103** - **107** Day CRM B2026MNSW06b
Top 30 of 42	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Enlist, Liberty
SOIL DESCRIPTION:	Dickinson loamy sand, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 4.55 pH, 3.16% OM, 16.04 CEC, high P, medium K, low S, low B, high Zn
CROP PROTECTION:	Harness (H), Aztec (I), Impact (H), Atrazine 4l (H), Fungicide, Unspecified (F)
FERTILITY - Applied N:	175 Spring, 42 Sidedress, 4,000 gal Hog Manure (included)
Applied N-P-K (units):	217-102-108
SEEDED - RATE - ROW:	May 12 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 28 33.1 /A
PEST & DISEASE RISK:	Fusarium, Gibberella, Pythium*

TEST COMMENTS:

Planting and early season conditions were excellent here. Dru told me this farm is one of his best if rainfall is plentiful. As with many sites in the MNSW Region, a windstorm in late August caused stalk lodging in some hybrids. This storm was accompanied by hail that shredded leaves as well. In spite of these challenges, most hybrids stood well at harvest. Rainfall was below average until the VT stage, so roots grew deep. Later season rainfall was above average. Fungicide was applied at the VT stage.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Heine	7810TRE ⇗	TRE	107	**270.3**	16.7	0	32.8	1112	1
Wyffels	W4514RIB ⇗	PCE	106	**266.6**	16.6	5	33.3	1098	3
Prairie Hybrids	4991 ORG ⇗	ORG	106	**266.6**	16.3	0	31.9	1103	2
Augusta	A2356-CONV ⇗	CONV	106	**264.8**	16.5	0	32.4	1093	4
Augusta	A2355-CONV ⇗	CONV	105	**261.1**	16.3	0	32.8	1080	5
Enestvedt	E523 ⇗	CONV	107	**260.3**	16.8	0	33.3	1069	6
Viking | Blue River	66-05 ⇗	CONV	105	**257.0**	16.4	0	34.6	1061	7
Prairie Hybrids	2311 ORG ⇗	ORG	103	**256.0**	16.5	1	32.4	1057	8
Heine	7733SSPRIB ⇗	STXP	107	**254.7**	16.7	0	31.5	1049	10
Heine	7688PCE ⇗	PCE	106	254.3	16.0	0	32.8	1055	9
Heine	7429PCE ⇗	PCE	104	252.6	16.6	0	33.3	1041	12
Jacobsen	JS0655PCE ⇗	PCE	106	250.6	16.6	0	33.7	1033	13
Wyffels	W3654RIB ⇗	PCE	104	247.9	16.4	0	31.9	1023	14
Jacobsen	JS0715SSP ⇗	STXP	107	245.9	16.6	0	32.8	1013	15
Viking | Blue River	72-06 ⇗	CONV	106	244.8	16.9	1	33.3	1005	19
Epley	E1340 ⇗	CONV	103	244.6	16.6	0	33.3	1007	17
Anderson	465SSP ⇗	STXP	105	244.0	16.3	28	31.0	1009	16
Wyffels	W4545 ⇗	TRE	106	243.8	16.4	3	33.7	1006	18
Renk	RK6690PCE ⇗	PC	105	242.2	16.5	0	33.7	999	21
Enestvedt	E541 ⇗	CONV	106	241.6	16.5	0	33.3	996	22
Wyffels	W4487RIB ⇗	VT4P	106	241.4	16.1	0	32.8	1001	20
Epley	E1540 ⇗	CONV	105	240.6	16.3	0	32.8	995	24
Renk	RK705VT4PRO ⇗	VT4P	105	240.4	16.3	1	34.2	994	25
Channel	205-08TRERIB GC ⇗	TRE	105	240.3	16.1	3	33.3	996	23
Titan Pro	67-07SSP ⇗	STXP	107	239.6	16.6	7	33.7	987	27
Titan Pro	46-03 PCE ⇗	PCE	103	239.2	16.6	0	33.7	986	28
Jacobsen	JS0593PCE ⇗	PCE	105	239.0	16.3	0	33.3	988	26
Titan Pro	47-03 ⇗	CONV	103	238.8	16.5	0	34.2	985	29
Wyffels	W4889 ⇗	STXP	107	236.9	16.7	24	34.2	974	31
Enestvedt	E526 ⇗	CONV	105	236.6	16.1	8	33.7	981	30
Pioneer	P03951PCE CK	PCE	103	252.4	16.2	0	32.4	1045	11
			Averages =	**242.2**	**16.4**	**5**	**33.1**	**1000**	
			LSD (0.10) =	12.6	0.3	14			
			LSD (0.25) =	6.6	0.2	7			
			C.V. =	4.9					

Historic yield: 210.32 bu/a, 23 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Report Date: 10/29/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] EASTON, MN

Dru Martin, Faribault County, MN 56025

Ultra Late-Season Test	**108** - **112** Day CRM B2026MNSW06I
Top 30 of 30	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Enlist, Liberty
SOIL DESCRIPTION:	Dickinson loamy sand, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 4.55 pH, 3.16% OM, 16.04 CEC, high P, medium K, low S, low B, high Zn
CROP PROTECTION:	Harness (H), Aztec (I), Impact (H), Atrazine 4l (H), Fungicide, Unspecified (F)
FERTILITY - Applied N:	175 Spring, 42 Sidedress, 4,000 gal Hog Manure (included)
Applied N-P-K (units):	217-102-108
SEEDED - RATE - ROW:	May 12 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 28 33.0 /A
PEST & DISEASE RISK:	Fusarium, Gibberella, Pythium*

TEST COMMENTS:

Planting and early season conditions were excellent here. Dru told me this farm is one of his best if rainfall is plentiful. As with many sites in the MNSW Region, a windstorm in late August caused stalk lodging in some hybrids. This storm was accompanied by hail that shredded leaves as well. In spite of these challenges, most hybrids stood well at harvest. Rainfall was below average until the VT stage, so roots grew deep. Later season rainfall was above average. Fungicide was applied at the VT stage.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Augusta	A4862-CONV ⇗	CONV	112	**285.2**	17.2	0	32.4	1167	1
Wyffels	W7544 ⇗	PCE	112	**276.7**	16.9	0	32.4	1136	2
Wyffels	W5735 ⇗	TRE	109	**271.7**	16.5	0	32.4	1121	3
Viking | Blue River	62-12 ⇗	CONV	112	**271.4**	17.4	0	33.3	1107	5
Titan Pro	58-08 ⇗	CONV	108	**271.3**	16.6	0	34.2	1117	4
Channel	208-68TRERIB GC ⇗	TRE	108	**267.2**	16.3	0	34.6	1105	6
Pioneer	P1027AM GC ⇗	AM	110	**265.8**	17.4	0	33.7	1084	9
Hoegemeyer	8161PCE ⇗	PCE	111	**265.1**	16.7	0	33.7	1090	7
Wyffels	W5610 ⇗	CONV	108	264.4	16.7	0	32.4	1088	8
Wyffels	W6644 ⇗	PCE	110	264.1	17.4	0	34.2	1078	10
Titan Pro	50-12 ⇗	CONV	112	263.9	17.5	0	33.3	1075	11
Titan Pro	62-10 PCE ⇗	PCE	110	258.4	17.3	0	33.3	1055	12
Augusta	A2162-AA ⇗	AA	112	257.8	17.8	0	33.7	1047	15
Prairie Hybrids	6211 ORG ⇗	ORG	112	256.5	17.1	0	34.2	1050	14
Channel	211-06VT4PRIB GC ⇗	VT4P	111	255.2	16.6	0	32.8	1051	13
Pioneer	P0859AM GC ⇗	AM	108	252.0	17.0	0	32.4	1034	16
Renk	RK8501PCE ⇗	PCE	110	250.3	17.5	5	33.3	1020	19
Pioneer	P08527V GC ⇗	V	108	249.7	17.1	1	33.3	1023	18
Pioneer	P03951PCE GC ⇗	PCE	103	248.9	16.3	0	31.9	1029	17
Wyffels	W7229 ⇗	STXP	112	247.6	17.5	0	32.8	1009	20
Prairie Hybrids	6251 ORG ⇗	ORG	111	244.4	17.0	0	32.4	1002	21
Titan Pro	63-08 ⇗	CONV	108	242.7	16.6	0	33.3	1000	22
Hoegemeyer	7925V ⇗	VE	109	238.7	17.0	0	33.3	979	23
Viking | Blue River	63-09 ⇗	CONV	109	236.2	16.5	21	33.3	975	24
Renk	RK825VT4PRO ⇗	VT4P	112	233.9	17.2	24	32.4	957	25
Prairie Hybrids	7184 ⇗	CONV	112	226.6	17.1	3	32.8	928	26
Jacobsen	JS1025TRE ⇗	TRE	110	222.5	16.6	0	33.7	916	27
Renk	RK7688SSPRO ⇗	STXP	110	218.9	16.7	42	31.0	900	28
Renk	RK7590SSPRO ⇗	STXP	109	213.1	16.5	1	32.4	879	29
Renk	RK7626SSPRO ⇗	STXP	108	208.7	16.7	69	31.5	859	30
			Averages =	**251.0**	**17.0**	**6**	**33.0**	**1029**	
			LSD (0.10) =	13.7	0.4	14			
			LSD (0.25) =	7.2	0.2	7			
			C.V. =	5.1					

Historic yield: 210.32 bu/a, 23 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Report Date: 10/29/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**


©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Minnesota Southwest [MNSW]

Weather Conditions Summary at EASTON, MN

Weather Data Retrieved: 10/29/2026


Monthly Total	Apr*	May	Jun	Jul	Aug	Sep	Oct*	Total
Precip (in) | (Diff)	0.3 | 0.5 (-0.2)	2.4 | 3.7 (-1.3)	3.4 | 4.5 (-1.1)	4.3 | 4.6 (-0.3)	6.6 | 3.2 (+3.4)	7.4 | 3.4 (+4.0)	1.8 | 2.4 (-0.6)	26.2 | 22.3 (+3.9)
GDU | Avg (Diff)	0 | 0 (0)	368 | 322 (+45)	577 | 625 (-48)	769 | 695 (+73)	622 | 617 (+4)	475 | 448 (+26)	290 | 115 (+174)	3101 | 2824




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.


Macronutrients




Micronutrients



Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

2026 Corn - Minnesota Southwest [MNSW]

Early-Season Test Products (39 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4601PCE	PCE	Y	100	CM,C2,Vi,Va
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A4050-DS	DS	Y	100	CM,C5
Augusta	A4052-DV	DV	Y	102	CM,C5
Augusta	A4248-V	V	Y	98	CM,C5
DeKalb	DKC101-33RIB	STXP	N*	101	AC,P5V,EDC-EL
DeKalb	DKC102-18	STXP	Y	102	AC,P5V,EDC-EL
Enestvedt	E514	CONV	N	103	CM,C2,Vi,Va
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Heine	7070PCE	PCE	Y	100	HEINE
Heine	7085VT4PRIB	VT4P	Y	100	HEINE
Heine	7141TRE	TRE	Y	101	HEINE
Heine	7291PCE	PCE	Y	102	HEINE
Heine	7480DGVT2PRIB	VT2PDG	Y	102	HEINE
Hoegemeyer	7047V	VE	Y	100	Lum, L1
Hoegemeyer	7108V	VE	Y	101	Lum, L1
Jacobsen	JS0034SSP	STXP	Y	100	Treated
Jacobsen	JS0114VT2P	VT2P	Y	100	Treated
Jacobsen	JS0205TRE	TRE	N	102	Treated
Jacobsen	JS0342DGVT2P	VT2PDG	Y	102	Treated
Jacobsen	JS9863VT4P	VT4P	Y	98	Treated
Pioneer	P02405	PCE	N*	102	Lum, L1
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Prairie Hybrids	1556	CONV	N	101	L,L,A5E
Renk	RK5518TRE	TRE	N	97	AC,P5
Renk	RK5670VT4PRO	VT4P	N	99	AC,P5
Renk	RK5699TRE	TRE	N	100	AC,P5
Renk	RK630TRE	TRE	N	102	AC,P5
Renk	RK6610PCE	PC	N	101	CM,C2,Vi
Titan Pro	51-01 SSP	STXP	Y	101	LumPro P2
Titan Pro	55-99	CONV	N	99	LumPro P2
Titan Pro	57-01 PCE	PCE	Y	101	LumPro P2
Titan Pro	62-02 SSP	STXP	Y	102	AC,P5V,EDC-EL
Titan Pro	68-98 PCE	PCE	Y	98	LumPro P2
Viking | Blue River	67-00	CONV	N	100	CM,C2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Wyffels	W2105	TRE	N	99	AC,P5V
Wyffels	W2674RIB	PCE	Y*	101	CM,C2,Vi,Va
Wyffels	W2867	VT4P	N	102	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southwest [MNSW]

Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	465SSP	STXP	Y	105	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C2
Augusta	A2356-CONV	CONV	N	106	CM,C2
Channel	205-08TRERIB	TRE	Y*	105	AC,P5V,EDC-EL
DeKalb	DKC56-26RIB	TRE	Y*	106	AC,P5V,EDC-EL
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E526	CONV	N	105	CM,C5,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E556SSP RIB	STXP	Y	105	AC,P5
Enestvedt	E595	CONV	N	106	CM,C2,Vi,Va
Epley	E1340	CONV	N	103	Vi5
Epley	E1540	CONV	N	105	Vi5
Heine	7429PCE	PCE	Y	104	HEINE
Heine	7688PCE	PCE	Y	106	HEINE
Heine	7733SSPRIB	STXP	Y	107	HEINE
Heine	7759PCE	PCE	Y	107	HEINE
Heine	7810TRE	TRE	Y	107	HEINE
Hoegemeyer	7369V	VE	Y	103	Lum, L1
Jacobsen	JS0593PCE	PCE	Y	105	Treated
Jacobsen	JS0655PCE	PCE	N	106	Treated
Jacobsen	JS0684SS	STX	Y	106	Treated
Jacobsen	JS0715SSP	STXP	N	107	Treated
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P05737PCE	PCE	Y	105	Lum, L1
Prairie Hybrids	2311 ORG	ORG	N	103	L,L,A5E
Prairie Hybrids	4556	CONV	N	106	L,L,A5E
Prairie Hybrids	4991 ORG	ORG	N	106	L,L,A5E
Renk	RK6640TRE	TRE	N	103	AC,P5
Renk	RK6671SSPRO	STXP	N	104	AC,P5
Renk	RK6690PCE	PC	N	105	CM,C2,Vi
Renk	RK705VT4PRO	VT4P	N	105	AC,P5
Renk	RK7577SSPRO	STXP	N	107	AC,P5
Titan Pro	46-03 PCE	PCE	Y	103	LumPro P2
Titan Pro	47-03	CONV	N	103	LumPro P2
Titan Pro	67-07SSP	STXP	Y	107	AC,P5V,EDC-EL
Viking | Blue River	66-05	CONV	N	105	CM,C2
Viking | Blue River	72-06	CONV	N	106	CM,C2
Wyffels	W3654RIB	PCE	Y*	104	AC,P5V
Wyffels	W4487RIB	VT4P	Y*	106	CM,C2,Vi,Va
Wyffels	W4514RIB	PCE	Y*	106	CM,C2,Vi,Va
Wyffels	W4545	TRE	N	106	AC,P5V
Wyffels	W4889	STXP	N	107	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southwest [MNSW]

Ultra Late-Season Test Products (30 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2162-AA	AA	Y*	112	CM,C2
Augusta	A4862-CONV	CONV	N	112	CM,C2
Channel	208-68TRERIB	TRE	Y	108	AC,P5V,EDC-EL
Channel	211-06VT4PRIB	VT4P	Y*	111	AC,P5V,EDC-EL
Hoegemeyer	7925V	VE	Y	109	Lum, L1
Hoegemeyer	8161PCE	PCE	Y	111	Lum, L1
Jacobsen	JS1025TRE	TRE	N	110	Treated
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P08527V	V	N*	108	Lum, L1
Pioneer	P0859AM	AM	Y	108	Lum, L1
Pioneer	P1027AM	AM	Y	110	Lum, L1
Prairie Hybrids	6211 ORG	ORG	N	112	L,L,A5E
Prairie Hybrids	6251 ORG	ORG	N	111	L,L,A5E
Prairie Hybrids	7184	CONV	N	112	L,L,A5E
Renk	RK7590SSPRO	STXP	N	109	AC,P5
Renk	RK7626SSPRO	STXP	N	108	AC,P5
Renk	RK7688SSPRO	STXP	N	110	AC,P5
Renk	RK825VT4PRO	VT4P	N	112	AC,P5
Renk	RK8501PCE	PCE	N	110	CM,C2,Vi
Titan Pro	50-12	CONV	N	112	LumPro P2
Titan Pro	58-08	CONV	N	108	LumPro P2
Titan Pro	62-10 PCE	PCE	Y	110	LumPro P2
Titan Pro	63-08	CONV	N	108	LumPro P2
Viking | Blue River	62-12	CONV	N	112	CM,C2
Viking | Blue River	63-09	CONV	N	109	CM,C2
Wyffels	W5610	CONV	N	108	CM,C2,Vi,Va
Wyffels	W5735	TRE	N	109	AC,P5V
Wyffels	W6644	PCE	N	110	CM,C2,Vi,Va
Wyffels	W7229	STXP	N	112	AC,P5V
Wyffels	W7544	PCE	N	112	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
CONV	Conventional
DS	Durastak™ (NOTE: Approval required from all major corn importing countries prior to March 31. An exception may be possible in some FIRST regions. Please check with the Field Manager of a region of interest _before_ entering technologies with export limitations.)
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
ORG	Organic certified, conventional
PC	PowerCore®
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P5	Acceleron® 500
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
CM,C2	CruiserMaxx® 250
CM,C2,Vi	CruiserMaxx® 250 with Vibrance
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
CM,C5,Vi,Va	CruiserMaxx® 500 with Vibrance, Vayantis®
HEINE	Heine unspecified treatment
L,L,A5E	LumiscendPro, Lumiflex, Actellic 5E
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.