first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] JEFFERS, MN

Rick Quade, Cottonwood County, MN 56083

Early-Season Test	**97** - **102** Day CRM B2026MNSW02a
Top 30 of 39	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Sonic, Metribuzin, Roundup Powermax, Liberty
SOIL DESCRIPTION:	Clarion loam, mod. well drained, non-irrigated
SOIL CONDITION:	Strip-Till, 5.7 pH, 5.31% OM, 20.18 CEC, high P, medium K, low S, high B, high Zn
CROP PROTECTION:	Surestart (H), Impact (H), Atrazine (H)
FERTILITY - Applied N:	18 Fall, 18 Spring, 135 Sidedress, 13 lb Zinc, 253 lb Sulfur
Applied N-P-K (units):	171-95-111
SEEDED - RATE - ROW:	May 4 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 23 32.9 /A
PEST & DISEASE RISK:	No elevated risks*

TEST COMMENTS:

Planting conditions were excellent at this strip-till site. Plants were healthy and had a dark green color through tassel. Rick pointed out that August through mid-September was quite dry. Very strong winds in late August caused serious stalk lodging here. Some rainfall in the last half of September was too late to maximize yields, although stalk lodging was the main factor blocking higher yields. The ultra-late test performed better, due to less lodging and taking advantage of late-season rain.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Titan Pro	51-01 SSP ⇗	STXP	101	**241.4**	14.4	18	31.9	1014	1
Renk	RK5699TRE ⇗	TRE	100	**240.7**	13.6	25	32.4	1011	2
DeKalb	DKC101-33RIB GC ⇗	STXP	101	**235.9**	14.2	27	34.2	991	3
Augusta	A2351-AA-EZ ⇗	AA	101	**235.7**	15.0	28	31.9	990	4
Pioneer	P02405 GC ⇗	PCE	102	**235.0**	14.0	26	32.4	987	5
Heine	7291PCE ⇗	PCE	102	**232.9**	14.0	19	33.3	978	7
Viking | Blue River	67-00 ⇗	CONV	100	**231.8**	14.1	14	33.7	974	8
Renk	RK630TRE ⇗	TRE	102	**231.7**	13.6	51	33.7	973	9
Prairie Hybrids	1556 ⇗	CONV	101	**230.2**	15.0	70	32.4	967	10
Titan Pro	57-01 PCE ⇗	PCE	101	**228.6**	14.2	19	32.8	960	11
Renk	RK6610PCE ⇗	PC	101	225.5	14.2	12	32.8	947	12
Heine	7070PCE ⇗	PCE	100	222.9	14.4	30	32.8	936	13
Jacobsen	JS0205TRE ⇗	TRE	102	220.1	14.1	28	31.5	924	14
Titan Pro	68-98 PCE ⇗	PCE	98	218.9	14.1	33	32.8	919	15
Anderson	4601PCE ⇗	PCE	100	217.4	14.1	27	32.8	913	16
Heine	7141TRE ⇗	TRE	101	216.1	13.9	23	32.4	908	17
Augusta	A4248-V ⇗	V	98	214.4	14.9	11	33.7	900	18
Enestvedt	*E514 ⇗*	*CONV*	*103*	*214.3*	*14.4*	*30*	*31.5*	*900*	*19*
Jacobsen	JS0114VT2P ⇗	VT2P	100	211.9	13.9	17	34.2	890	20
Jacobsen	JS9863VT4P ⇗	VT4P	98	210.9	13.8	29	33.7	886	21
Augusta	A4052-DV ⇗	DV	102	209.6	15.0	29	32.4	880	22
Augusta	A3048-AA-EZ ⇗	AA	98	209.2	14.1	30	30.6	879	23
Wyffels	W2674RIB ⇗	PCE	101	208.4	14.3	32	32.8	875	24
Hoegemeyer	7047V ⇗	VE	100	208.2	13.7	52	34.2	874	25
Enestvedt	E539 ⇗	CONV	102	205.5	13.8	31	31.5	863	26
Augusta	A4050-DS ⇗	DS	100	202.0	14.4	55	32.8	848	27
DeKalb	DKC102-18 GC ⇗	STXP	102	198.1	13.8	25	33.3	832	28
Wyffels	W2867 ⇗	VT4P	102	197.3	13.8	33	32.4	829	29
Hoegemeyer	7108V ⇗	VE	101	191.8	14.3	70	33.7	806	30
Heine	7480DGVT2PRIB ⇗	VT2PDG	102	190.3	13.5	34	33.7	799	31
Pioneer	P03951PCE CK	PCE	103	234.7	13.7	28	32.8	986	6
			Averages =	**209.9**	**14.0**	**36**	**32.9**	**882**	
			LSD (0.10) =	16.6	0.4	21			
			LSD (0.25) =	8.7	0.2	11			
			C.V. =	7.5					

Historic yield: 197.19 bu/a, 19 yr(s)

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 10/24/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] JEFFERS, MN

Rick Quade, Cottonwood County, MN 56083

Full-Season Test	**103** - **107** Day CRM B2026MNSW02b
Top 30 of 42	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Sonic, Metribuzin, Roundup Powermax, Liberty
SOIL DESCRIPTION:	Clarion loam, mod. well drained, non-irrigated
SOIL CONDITION:	Strip-Till, 5.7 pH, 5.31% OM, 20.18 CEC, high P, medium K, low S, high B, high Zn
CROP PROTECTION:	Surestart (H), Impact (H), Atrazine (H)
FERTILITY - Applied N:	18 Fall, 18 Spring, 135 Sidedress, 13 lb Zinc, 253 lb Sulfur
Applied N-P-K (units):	171-95-111
SEEDED - RATE - ROW:	May 4 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 23 32.6 /A
PEST & DISEASE RISK:	No elevated risks*

TEST COMMENTS:

Planting conditions were excellent at this strip-till site. Plants were healthy and had a dark green color through tassel. Rick pointed out that August through mid-September was quite dry. Very strong winds in late August caused serious stalk lodging here. Some rainfall in the last half of September was too late to maximize yields, although stalk lodging was the main factor blocking higher yields. The ultra-late test performed better, due to less lodging and taking advantage of late-season rain.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Heine	7810TRE ⇗	TRE	107	**235.1**	13.9	43	34.2	987	1
Jacobsen	JS0655PCE ⇗	PCE	106	**230.6**	13.9	27	34.2	969	2
Heine	7688PCE ⇗	PCE	106	**228.0**	14.0	19	32.4	958	3
Wyffels	W4487RIB ⇗	VT4P	106	**227.3**	13.4	32	34.6	955	4
Enestvedt	E526 ⇗	CONV	105	**221.5**	13.8	22	33.3	930	6
Renk	RK6690PCE ⇗	PC	105	**220.8**	14.2	36	31.0	927	7
Enestvedt	E541 ⇗	CONV	106	**219.0**	14.1	33	33.7	920	8
Viking | Blue River	72-06 ⇗	CONV	106	**218.5**	14.4	45	33.3	918	9
Heine	7429PCE ⇗	PCE	104	**218.3**	14.2	54	32.8	917	10
Hoegemeyer	7369V ⇗	VE	103	**217.6**	13.9	47	32.8	914	11
Epley	E1340 ⇗	CONV	103	**216.8**	14.2	65	32.8	911	12
Wyffels	W4514RIB ⇗	PCE	106	**215.3**	14.2	60	32.4	904	13
Titan Pro	47-03 ⇗	CONV	103	**214.0**	13.7	44	33.3	899	14
Channel	205-08TRERIB GC ⇗	TRE	105	**213.8**	14.3	46	33.7	898	15
Heine	7759PCE ⇗	PCE	107	212.1	14.5	46	30.6	891	16
Renk	RK705VT4PRO ⇗	VT4P	105	211.1	13.9	37	32.8	887	17
Prairie Hybrids	2311 ORG ⇗	ORG	103	209.4	14.7	77	30.1	879	18
Titan Pro	46-03 PCE ⇗	PCE	103	207.4	14.1	40	33.7	871	19
Jacobsen	JS0593PCE ⇗	PCE	105	206.9	14.7	44	32.8	869	20
Wyffels	W3654RIB ⇗	PCE	104	201.9	14.7	70	32.4	848	21
Pioneer	P05737PCE GC ⇗	PCE	105	200.1	14.3	40	33.3	840	22
Enestvedt	E523 ⇗	CONV	107	199.8	15.3	45	31.0	836	23
DeKalb	DKC56-26RIB GC ⇗	TRE	106	198.6	13.7	52	32.4	834	24
Jacobsen	JS0715SSP ⇗	STXP	107	197.9	14.1	60	32.4	831	25
Renk	RK6640TRE ⇗	TRE	103	197.6	13.4	38	31.9	830	26
Wyffels	W4889 ⇗	STXP	107	195.9	13.8	23	32.8	823	27
Viking | Blue River	66-05 ⇗	CONV	105	193.5	14.0	50	34.2	813	28
Renk	RK6671SSPRO ⇗	STXP	104	193.0	13.6	55	31.9	811	29
Augusta	A2355-CONV ⇗	CONV	105	189.4	14.1	47	32.8	795	30
Augusta	A2356-CONV ⇗	CONV	106	189.0	14.2	23	32.4	794	31
Pioneer	P03951PCE CK	PCE	103	227.2	13.6	20	33.7	954	5
			Averages =	**198.6**	**14.1**	**45**	**32.6**	**834**	
			LSD (0.10) =	13.9	0.5	20			
			LSD (0.25) =	7.3	0.3	11			
			C.V. =	6.6					

Historic yield: 197.19 bu/a, 19 yr(s)

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 10/24/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] JEFFERS, MN

Rick Quade, Cottonwood County, MN 56083

Ultra Late-Season Test	**108** - **112** Day CRM B2026MNSW02I
Top 30 of 30	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Sonic, Metribuzin, Roundup Powermax, Liberty
SOIL DESCRIPTION:	Clarion loam, mod. well drained, non-irrigated
SOIL CONDITION:	Strip-Till, 5.7 pH, 5.31% OM, 20.18 CEC, high P, medium K, low S, high B, high Zn
CROP PROTECTION:	Surestart (H), Impact (H), Atrazine (H)
FERTILITY - Applied N:	18 Fall, 18 Spring, 135 Sidedress, 13 lb Zinc, 253 lb Sulfur
Applied N-P-K (units):	171-95-111
SEEDED - RATE - ROW:	May 4 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 23 32.8 /A
PEST & DISEASE RISK:	No elevated risks*

TEST COMMENTS:

Planting conditions were excellent at this strip-till site. Plants were healthy and had a dark green color through tassel. Rick pointed out that August through mid-September was quite dry. Very strong winds in late August caused serious stalk lodging here. Some rainfall in the last half of September was too late to maximize yields, although stalk lodging was the main factor blocking higher yields. The ultra-late test performed better, due to less lodging and taking advantage of late-season rain.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Pioneer	P08527V GC ⇗	V	108	**253.6**	15.2	12	33.3	1063	1
Pioneer	P1027AM GC ⇗	AM	110	**245.7**	14.9	4	33.7	1032	2
Channel	211-06VT4PRIB GC ⇗	VT4P	111	**245.5**	14.6	7	32.8	1031	3
Pioneer	P0859AM GC ⇗	AM	108	**245.0**	15.1	17	33.7	1028	4
Wyffels	W5735 ⇗	TRE	109	**242.7**	14.9	3	35.1	1019	5
Hoegemeyer	8161PCE ⇗	PCE	111	**241.9**	14.7	33	32.4	1016	6
Prairie Hybrids	7184 ⇗	CONV	112	**238.1**	15.9	25	34.2	989	9
Viking | Blue River	62-12 ⇗	CONV	112	237.8	15.1	14	32.4	998	7
Wyffels	W7544 ⇗	PCE	112	236.9	15.3	33	32.8	992	8
Titan Pro	63-08 ⇗	CONV	108	232.6	15.3	6	32.4	974	11
Hoegemeyer	7925V ⇗	VE	109	232.4	15.6	18	31.9	969	14
Titan Pro	58-08 ⇗	CONV	108	232.3	14.1	51	31.9	976	10
Prairie Hybrids	6211 ORG ⇗	ORG	112	232.3	15.3	10	31.9	972	12
Titan Pro	62-10 PCE ⇗	PCE	110	232.3	15.4	14	33.3	971	13
Prairie Hybrids	6251 ORG ⇗	ORG	111	227.9	16.8	17	32.4	937	18
Pioneer	P03951PCE GC ⇗	PCE	103	226.5	14.3	18	33.3	951	15
Wyffels	W6644 ⇗	PCE	110	225.3	14.9	21	32.4	946	16
Renk	RK8501PCE ⇗	PCE	110	225.0	15.1	20	31.9	944	17
Wyffels	W7229 ⇗	STXP	112	223.1	15.5	18	30.6	932	19
Jacobsen	JS1025TRE ⇗	TRE	110	221.9	13.8	42	32.4	932	20
Augusta	A2162-AA ⇗	AA	112	219.8	14.9	51	34.2	923	21
Titan Pro	50-12 ⇗	CONV	112	215.4	15.1	58	32.4	903	22
Wyffels	W5610 ⇗	CONV	108	213.7	14.9	25	31.5	898	23
Channel	208-68TRERIB GC ⇗	TRE	108	212.9	14.2	15	32.8	894	24
Renk	RK825VT4PRO ⇗	VT4P	112	212.7	14.0	31	32.4	893	25
Viking | Blue River	63-09 ⇗	CONV	109	207.6	14.0	37	33.7	872	26
Renk	RK7626SSPRO ⇗	STXP	108	190.7	13.7	36	32.8	801	27
Augusta	A4862-CONV ⇗	CONV	112	187.0	15.0	57	32.8	785	28
Renk	RK7590SSPRO ⇗	STXP	109	182.7	14.2	14	32.8	767	29
Renk	RK7688SSPRO ⇗	STXP	110	180.8	14.4	42	33.7	759	30
			Averages =	**224.1**	**14.9**	**25**	**32.8**	**939**	
			LSD (0.10) =	14.0	0.9	ns			
			LSD (0.25) =	7.3	0.5	ns			
			C.V. =	5.9					

Historic yield: 197.19 bu/a, 19 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Report Date: 10/24/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**


©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Minnesota Southwest [MNSW]

Weather Conditions Summary at JEFFERS, MN

Weather Data Retrieved: 10/24/2026


Monthly Total	Apr*	May	Jun	Jul	Aug	Sep	Oct*	Total
Precip (in) | (Diff)	2.5 | 1.2 (+1.3)	1.6 | 3.7 (-2.1)	2.4 | 3.6 (-1.2)	5.0 | 3.7 (+1.3)	1.3 | 3.2 (-1.9)	3.6 | 2.5 (+1.1)	0.5 | 1.9 (-1.4)	17.0 | 19.8 (-2.8)
GDU | Avg (Diff)	59 | 7 (+51)	324 | 287 (+36)	554 | 597 (-43)	742 | 672 (+69)	570 | 588 (-18)	428 | 426 (+1)	228 | 104 (+123)	2905 | 2684




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.


Macronutrients



Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

2026 Corn - Minnesota Southwest [MNSW]

Early-Season Test Products (39 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4601PCE	PCE	Y	100	CM,C2,Vi,Va
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A4050-DS	DS	Y	100	CM,C5
Augusta	A4052-DV	DV	Y	102	CM,C5
Augusta	A4248-V	V	Y	98	CM,C5
DeKalb	DKC101-33RIB	STXP	N*	101	AC,P5V,EDC-EL
DeKalb	DKC102-18	STXP	Y	102	AC,P5V,EDC-EL
Enestvedt	E514	CONV	N	103	CM,C2,Vi,Va
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Heine	7070PCE	PCE	Y	100	HEINE
Heine	7085VT4PRIB	VT4P	Y	100	HEINE
Heine	7141TRE	TRE	Y	101	HEINE
Heine	7291PCE	PCE	Y	102	HEINE
Heine	7480DGVT2PRIB	VT2PDG	Y	102	HEINE
Hoegemeyer	7047V	VE	Y	100	Lum, L1
Hoegemeyer	7108V	VE	Y	101	Lum, L1
Jacobsen	JS0034SSP	STXP	Y	100	Treated
Jacobsen	JS0114VT2P	VT2P	Y	100	Treated
Jacobsen	JS0205TRE	TRE	N	102	Treated
Jacobsen	JS0342DGVT2P	VT2PDG	Y	102	Treated
Jacobsen	JS9863VT4P	VT4P	Y	98	Treated
Pioneer	P02405	PCE	N*	102	Lum, L1
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Prairie Hybrids	1556	CONV	N	101	L,L,A5E
Renk	RK5518TRE	TRE	N	97	AC,P5
Renk	RK5670VT4PRO	VT4P	N	99	AC,P5
Renk	RK5699TRE	TRE	N	100	AC,P5
Renk	RK630TRE	TRE	N	102	AC,P5
Renk	RK6610PCE	PC	N	101	CM,C2,Vi
Titan Pro	51-01 SSP	STXP	Y	101	LumPro P2
Titan Pro	55-99	CONV	N	99	LumPro P2
Titan Pro	57-01 PCE	PCE	Y	101	LumPro P2
Titan Pro	62-02 SSP	STXP	Y	102	AC,P5V,EDC-EL
Titan Pro	68-98 PCE	PCE	Y	98	LumPro P2
Viking | Blue River	67-00	CONV	N	100	CM,C2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Wyffels	W2105	TRE	N	99	AC,P5V
Wyffels	W2674RIB	PCE	Y*	101	CM,C2,Vi,Va
Wyffels	W2867	VT4P	N	102	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southwest [MNSW]

Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	465SSP	STXP	Y	105	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C2
Augusta	A2356-CONV	CONV	N	106	CM,C2
Channel	205-08TRERIB	TRE	Y*	105	AC,P5V,EDC-EL
DeKalb	DKC56-26RIB	TRE	Y*	106	AC,P5V,EDC-EL
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E526	CONV	N	105	CM,C5,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E556SSP RIB	STXP	Y	105	AC,P5
Enestvedt	E595	CONV	N	106	CM,C2,Vi,Va
Epley	E1340	CONV	N	103	Vi5
Epley	E1540	CONV	N	105	Vi5
Heine	7429PCE	PCE	Y	104	HEINE
Heine	7688PCE	PCE	Y	106	HEINE
Heine	7733SSPRIB	STXP	Y	107	HEINE
Heine	7759PCE	PCE	Y	107	HEINE
Heine	7810TRE	TRE	Y	107	HEINE
Hoegemeyer	7369V	VE	Y	103	Lum, L1
Jacobsen	JS0593PCE	PCE	Y	105	Treated
Jacobsen	JS0655PCE	PCE	N	106	Treated
Jacobsen	JS0684SS	STX	Y	106	Treated
Jacobsen	JS0715SSP	STXP	N	107	Treated
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P05737PCE	PCE	Y	105	Lum, L1
Prairie Hybrids	2311 ORG	ORG	N	103	L,L,A5E
Prairie Hybrids	4556	CONV	N	106	L,L,A5E
Prairie Hybrids	4991 ORG	ORG	N	106	L,L,A5E
Renk	RK6640TRE	TRE	N	103	AC,P5
Renk	RK6671SSPRO	STXP	N	104	AC,P5
Renk	RK6690PCE	PC	N	105	CM,C2,Vi
Renk	RK705VT4PRO	VT4P	N	105	AC,P5
Renk	RK7577SSPRO	STXP	N	107	AC,P5
Titan Pro	46-03 PCE	PCE	Y	103	LumPro P2
Titan Pro	47-03	CONV	N	103	LumPro P2
Titan Pro	67-07SSP	STXP	Y	107	AC,P5V,EDC-EL
Viking | Blue River	66-05	CONV	N	105	CM,C2
Viking | Blue River	72-06	CONV	N	106	CM,C2
Wyffels	W3654RIB	PCE	Y*	104	AC,P5V
Wyffels	W4487RIB	VT4P	Y*	106	CM,C2,Vi,Va
Wyffels	W4514RIB	PCE	Y*	106	CM,C2,Vi,Va
Wyffels	W4545	TRE	N	106	AC,P5V
Wyffels	W4889	STXP	N	107	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southwest [MNSW]

Ultra Late-Season Test Products (30 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2162-AA	AA	Y*	112	CM,C2
Augusta	A4862-CONV	CONV	N	112	CM,C2
Channel	208-68TRERIB	TRE	Y	108	AC,P5V,EDC-EL
Channel	211-06VT4PRIB	VT4P	Y*	111	AC,P5V,EDC-EL
Hoegemeyer	7925V	VE	Y	109	Lum, L1
Hoegemeyer	8161PCE	PCE	Y	111	Lum, L1
Jacobsen	JS1025TRE	TRE	N	110	Treated
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P08527V	V	N*	108	Lum, L1
Pioneer	P0859AM	AM	Y	108	Lum, L1
Pioneer	P1027AM	AM	Y	110	Lum, L1
Prairie Hybrids	6211 ORG	ORG	N	112	L,L,A5E
Prairie Hybrids	6251 ORG	ORG	N	111	L,L,A5E
Prairie Hybrids	7184	CONV	N	112	L,L,A5E
Renk	RK7590SSPRO	STXP	N	109	AC,P5
Renk	RK7626SSPRO	STXP	N	108	AC,P5
Renk	RK7688SSPRO	STXP	N	110	AC,P5
Renk	RK825VT4PRO	VT4P	N	112	AC,P5
Renk	RK8501PCE	PCE	N	110	CM,C2,Vi
Titan Pro	50-12	CONV	N	112	LumPro P2
Titan Pro	58-08	CONV	N	108	LumPro P2
Titan Pro	62-10 PCE	PCE	Y	110	LumPro P2
Titan Pro	63-08	CONV	N	108	LumPro P2
Viking | Blue River	62-12	CONV	N	112	CM,C2
Viking | Blue River	63-09	CONV	N	109	CM,C2
Wyffels	W5610	CONV	N	108	CM,C2,Vi,Va
Wyffels	W5735	TRE	N	109	AC,P5V
Wyffels	W6644	PCE	N	110	CM,C2,Vi,Va
Wyffels	W7229	STXP	N	112	AC,P5V
Wyffels	W7544	PCE	N	112	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
CONV	Conventional
DS	Durastak™ (NOTE: Approval required from all major corn importing countries prior to March 31. An exception may be possible in some FIRST regions. Please check with the Field Manager of a region of interest _before_ entering technologies with export limitations.)
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
ORG	Organic certified, conventional
PC	PowerCore®
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P5	Acceleron® 500
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
CM,C2	CruiserMaxx® 250
CM,C2,Vi	CruiserMaxx® 250 with Vibrance
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
CM,C5,Vi,Va	CruiserMaxx® 500 with Vibrance, Vayantis®
HEINE	Heine unspecified treatment
L,L,A5E	LumiscendPro, Lumiflex, Actellic 5E
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.