first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] WABASSO, MN

Leon Plaetz, Redwood County, MN 56293

Early-Season Test	**97** - **102** Day CRM B2026MNSW04a
Top 30 of 39	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Zidua, Roundup Powermax, Liberty, Fusilade
SOIL DESCRIPTION:	Canisteo clay loam, poorly drained, non-irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 7.42 pH, 4.69% OM, 21.32 CEC, high P, low K, mod. S, high B, high Zn
CROP PROTECTION:	Harness (H), Callisto (H), Impact (H), Atrazine 4l (H)
FERTILITY - Applied N:	140 Spring, 25 lb Sulfur, 0.8 lb Boron, 2.5 lb Zinc
Applied N-P-K (units):	140-100-80
SEEDED - RATE - ROW:	May 7 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 25 32.5 /A
PEST & DISEASE RISK:	Fusarium*

TEST COMMENTS:

The soil was in excellent condition for planting. Dry weather through mid-June allowed post-emerge herbicide applications to be timely. A wind event did come through this site in early September, but it caused little damage to most of the plots. Leon told me that the tallest corn with the highest ear placement was most susceptible to stalk lodging. He noted that no corn was lodged in the fields that he chopped for silage. The soil at this plot site has very high organic matter and has a long-term history of manure application.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Titan Pro	57-01 PCE ⇗	PCE	101	**300.3**	14.6	0	33.7	1261	1
Titan Pro	68-98 PCE ⇗	PCE	98	**284.8**	14.1	0	32.4	1196	2
Heine	7070PCE ⇗	PCE	100	**283.9**	14.2	2	34.2	1192	3
Augusta	A4248-V ⇗	V	98	**278.8**	14.8	0	33.3	1171	4
Pioneer	P02405 GC ⇗	PCE	102	**278.3**	14.2	1	31.5	1169	5
Viking | Blue River	67-00 ⇗	CONV	100	**277.4**	14.0	3	33.7	1165	7
Anderson	4601PCE ⇗	PCE	100	**277.1**	14.2	6	31.5	1164	8
Heine	7141TRE ⇗	TRE	101	**276.6**	14.6	2	32.4	1162	9
Titan Pro	51-01 SSP ⇗	STXP	101	**276.3**	14.6	5	31.5	1160	10
Enestvedt	E539 ⇗	CONV	102	**274.5**	14.4	3	32.8	1153	11
Augusta	A4050-DS ⇗	DS	100	**274.5**	14.7	18	32.4	1153	12
Wyffels	W2674RIB ⇗	PCE	101	**274.1**	14.2	6	32.4	1151	13
DeKalb	DKC101-33RIB GC ⇗	STXP	101	272.3	14.5	3	33.3	1144	14
Heine	7291PCE ⇗	PCE	102	271.3	14.4	9	32.8	1139	15
Renk	RK630TRE ⇗	TRE	102	270.3	14.0	24	33.3	1135	16
Hoegemeyer	7047V ⇗	VE	100	270.0	14.3	0	33.3	1134	17
Augusta	A4052-DV ⇗	DV	102	267.2	15.0	0	32.8	1122	18
Heine	7480DGVT2PRIB ⇗	VT2PDG	102	266.9	13.9	8	30.1	1121	19
Jacobsen	JS9863VT4P ⇗	VT4P	98	264.8	14.2	3	30.6	1112	20
Wyffels	W2105 ⇗	TRE	99	263.7	14.2	14	34.2	1108	21
Wyffels	W2867 ⇗	VT4P	102	261.7	14.1	6	32.8	1099	22
Augusta	A2351-AA-EZ ⇗	AA	101	261.7	14.7	8	34.2	1099	23
Enestvedt	*E514 ⇗*	*CONV*	*103*	*259.8*	*14.6*	*20*	*32.8*	*1091*	*24*
Hoegemeyer	7108V ⇗	VE	101	256.6	14.4	12	31.5	1078	25
Renk	RK5670VT4PRO ⇗	VT4P	99	256.1	14.1	35	31.9	1076	26
Titan Pro	55-99 ⇗	CONV	99	252.7	13.8	3	31.5	1061	27
Renk	RK6610PCE ⇗	PC	101	252.3	13.9	6	34.6	1060	28
Jacobsen	JS0114VT2P ⇗	VT2P	100	251.8	14.0	12	28.3	1058	29
Jacobsen	JS0034SSP ⇗	STXP	100	251.2	13.9	3	31.9	1055	30
Jacobsen	JS0342DGVT2P ⇗	VT2PDG	102	249.6	13.8	2	31.5	1048	31
Pioneer	P03951PCE CK	PCE	103	277.6	14.3	6	33.3	1166	6
			Averages =	**261.7**	**14.3**	**9**	**32.5**	**1099**	
			LSD (0.10) =	12.4	0.4	15			
			LSD (0.25) =	6.5	0.2	8			
			C.V. =	4.5					

Historic yield: 209.92 bu/a, 2 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Report Date: 10/27/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] WABASSO, MN

Leon Plaetz, Redwood County, MN 56293

Full-Season Test	**103** - **107** Day CRM B2026MNSW04b
Top 30 of 42	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Zidua, Roundup Powermax, Liberty, Fusilade
SOIL DESCRIPTION:	Canisteo clay loam, poorly drained, non-irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 7.42 pH, 4.69% OM, 21.32 CEC, high P, low K, mod. S, high B, high Zn
CROP PROTECTION:	Harness (H), Callisto (H), Impact (H), Atrazine 4l (H)
FERTILITY - Applied N:	140 Spring, 25 lb Sulfur, 0.8 lb Boron, 2.5 lb Zinc
Applied N-P-K (units):	140-100-80
SEEDED - RATE - ROW:	May 7 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 25 33.0 /A
PEST & DISEASE RISK:	Fusarium*

TEST COMMENTS:

The soil was in excellent condition for planting. Dry weather through mid-June allowed post-emerge herbicide applications to be timely. A wind event did come through this site in early September, but it caused little damage to most of the plots. Leon told me that the tallest corn with the highest ear placement was most susceptible to stalk lodging. He noted that no corn was lodged in the fields that he chopped for silage. The soil at this plot site has very high organic matter and has a long-term history of manure application.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Channel	205-08TRERIB GC ⇗	TRE	105	**292.4**	14.9	11	35.1	1228	1
Renk	RK6640TRE ⇗	TRE	103	**291.5**	14.2	0	34.2	1224	2
Renk	RK6671SSPRO ⇗	STXP	104	**289.2**	14.4	0	32.8	1215	3
Heine	7810TRE ⇗	TRE	107	**287.3**	15.4	16	32.8	1200	6
Wyffels	W4545 ⇗	TRE	106	**286.4**	14.9	6	32.4	1203	4
Renk	RK705VT4PRO ⇗	VT4P	105	**286.0**	14.5	0	32.4	1201	5
Renk	RK6690PCE ⇗	PC	105	**285.6**	14.7	0	31.9	1200	7
Titan Pro	47-03 ⇗	CONV	103	**285.1**	14.7	0	34.6	1197	8
Viking | Blue River	72-06 ⇗	CONV	106	**283.0**	15.0	0	32.4	1188	9
Prairie Hybrids	2311 ORG ⇗	ORG	103	**282.6**	15.0	0	32.8	1187	10
Jacobsen	JS0715SSP ⇗	STXP	107	**280.1**	14.6	1	32.4	1176	11
Jacobsen	JS0593PCE ⇗	PCE	105	278.8	15.5	1	33.3	1164	13
Enestvedt	E523 ⇗	CONV	107	278.4	16.0	3	33.3	1155	15
Enestvedt	E526 ⇗	CONV	105	278.3	14.8	0	34.6	1169	12
Epley	E1340 ⇗	CONV	103	277.2	14.1	0	33.7	1164	14
Titan Pro	67-07SSP ⇗	STXP	107	274.3	14.6	5	32.8	1152	16
Titan Pro	46-03 PCE ⇗	PCE	103	273.0	14.8	8	33.7	1147	17
Augusta	A2355-CONV ⇗	CONV	105	271.2	14.7	0	34.4	1139	18
Wyffels	W4514RIB ⇗	PCE	106	270.8	15.0	3	34.2	1137	19
Prairie Hybrids	4991 ORG ⇗	ORG	106	270.4	14.8	17	34.6	1136	20
Renk	RK7577SSPRO ⇗	STXP	107	267.8	14.2	0	32.4	1125	22
Wyffels	W3654RIB ⇗	PCE	104	266.9	15.0	1	34.2	1121	23
Hoegemeyer	7369V ⇗	VE	103	266.4	14.8	0	32.8	1119	24
DeKalb	DKC56-26RIB GC ⇗	TRE	106	266.3	14.0	0	30.6	1118	25
Jacobsen	JS0655PCE ⇗	PCE	106	265.6	15.0	4	33.7	1115	26
Viking | Blue River	66-05 ⇗	CONV	105	262.5	14.9	14	31.9	1102	27
Heine	7688PCE ⇗	PCE	106	261.7	14.8	3	32.4	1099	28
Epley	E1540 ⇗	CONV	105	261.1	14.6	33	32.4	1097	29
Heine	7759PCE ⇗	PCE	107	257.4	15.2	0	34.2	1079	30
Wyffels	W4487RIB ⇗	VT4P	106	256.7	14.4	3	32.4	1078	31
Pioneer	P03951PCE CK	PCE	103	269.3	14.8	3	33.7	1131	21
			Averages =	**265.3**	**14.8**	**6**	**33.0**	**1113**	
			LSD (0.10) =	13.6	0.4	12			
			LSD (0.25) =	7.1	0.2	7			
			C.V. =	4.9					

Historic yield: 209.92 bu/a, 2 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Report Date: 10/27/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] WABASSO, MN

Leon Plaetz, Redwood County, MN 56293

Ultra Late-Season Test	**108** - **112** Day CRM B2026MNSW04l
Top 30 of 30	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Zidua, Roundup Powermax, Liberty, Fusilade
SOIL DESCRIPTION:	Canisteo clay loam, poorly drained, non-irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 7.42 pH, 4.69% OM, 21.32 CEC, high P, low K, mod. S, high B, high Zn
CROP PROTECTION:	Harness (H), Callisto (H), Impact (H), Atrazine 4l (H)
FERTILITY - Applied N:	140 Spring, 25 lb Sulfur, 0.8 lb Boron, 2.5 lb Zinc
Applied N-P-K (units):	140-100-80
SEEDED - RATE - ROW:	May 7 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 25 32.4 /A
PEST & DISEASE RISK:	Fusarium*

TEST COMMENTS:

The soil was in excellent condition for planting. Dry weather through mid-June allowed post-emerge herbicide applications to be timely. A wind event did come through this site in early September, but it caused little damage to most of the plots. Leon told me that the tallest corn with the highest ear placement was most susceptible to stalk lodging. He noted that no corn was lodged in the fields that he chopped for silage. The soil at this plot site has very high organic matter and has a long-term history of manure application.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Titan Pro	50-12 ⇗	CONV	112	**304.4**	15.4	27	34.2	1273	1
Renk	RK8501PCE ⇗	PCE	110	**303.7**	15.7	0	33.3	1264	2
Pioneer	P1027AM GC ⇗	AM	110	**301.0**	16.2	0	33.3	1247	4
Titan Pro	58-08 ⇗	CONV	108	**298.1**	15.3	0	32.4	1248	3
Hoegemeyer	8161PCE ⇗	PCE	111	**296.9**	15.6	8	31.0	1239	5
Pioneer	P0859AM GC ⇗	AM	108	**294.0**	15.2	0	33.3	1231	6
Channel	211-06VT4PRIB GC ⇗	VT4P	111	293.2	16.0	0	33.1	1216	9
Hoegemeyer	7925V ⇗	VE	109	292.8	15.1	3	31.9	1228	7
Wyffels	W6644 ⇗	PCE	110	291.7	15.3	27	33.3	1221	8
Wyffels	W5735 ⇗	TRE	109	288.5	15.5	0	32.8	1204	10
Wyffels	W7229 ⇗	STXP	112	288.4	16.1	0	31.5	1195	11
Prairie Hybrids	7184 ⇗	CONV	112	286.1	16.3	0	32.4	1184	12
Titan Pro	62-10 PCE ⇗	PCE	110	282.0	16.0	0	32.4	1170	13
Wyffels	W7544 ⇗	PCE	112	277.9	15.9	0	31.5	1155	16
Pioneer	P08527V GC ⇗	V	108	276.8	15.5	0	34.2	1156	15
Viking | Blue River	63-09 ⇗	CONV	109	276.7	14.8	3	29.7	1162	14
Prairie Hybrids	6251 ORG ⇗	ORG	111	275.8	15.8	43	31.5	1147	17
Viking | Blue River	62-12 ⇗	CONV	112	275.6	16.3	0	31.9	1140	19
Augusta	A2162-AA ⇗	AA	112	275.1	16.1	42	33.7	1141	18
Prairie Hybrids	6211 ORG ⇗	ORG	112	270.0	15.8	6	31.0	1123	20
Jacobsen	JS1025TRE ⇗	TRE	110	264.5	15.2	48	31.9	1108	21
Wyffels	W5610 ⇗	CONV	108	264.0	16.0	12	29.7	1096	23
Pioneer	P03951PCE GC ⇗	PCE	103	262.2	15.2	0	34.6	1099	22
Augusta	A4862-CONV ⇗	CONV	112	261.5	15.7	41	34.2	1090	24
Renk	RK7590SSPRO ⇗	STXP	109	258.5	15.1	0	32.4	1084	25
Renk	RK825VT4PRO ⇗	VT4P	112	258.1	15.3	0	33.3	1080	26
Titan Pro	63-08 ⇗	CONV	108	256.5	15.7	3	32.4	1069	27
Channel	208-68TRERIB GC ⇗	TRE	108	254.5	15.4	13	33.1	1064	28
Renk	RK7626SSPRO ⇗	STXP	108	248.4	14.5	12	31.9	1043	29
Renk	RK7688SSPRO ⇗	STXP	110	218.4	15.3	0	31.5	914	30
			Averages =	**276.6**	**15.6**	**10**	**32.4**	**1153**	
			LSD (0.10) =	16.7	0.4	20			
			LSD (0.25) =	8.7	0.2	11			
			C.V. =	5.7					

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Historic yield: 209.92 bu/a, 2 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 10/27/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**


©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Minnesota Southwest [MNSW]

Weather Conditions Summary at WABASSO, MN

Weather Data Retrieved: 10/27/2026


Monthly Total	Apr*	May	Jun	Jul	Aug	Sep	Oct*	Total
Precip (in) | (Diff)	2.3 | 0.8 (+1.5)	1.4 | 3.5 (-2.1)	4.7 | 2.9 (+1.8)	4.4 | 4.1 (+0.3)	3.3 | 3.4 (-0.1)	4.0 | 2.4 (+1.6)	0.6 | 1.8 (-1.2)	20.6 | 18.9 (+1.7)
GDU | Avg (Diff)	33 | 14 (+18)	338 | 323 (+14)	558 | 620 (-62)	745 | 694 (+50)	598 | 608 (-10)	450 | 432 (+17)	264 | 103 (+160)	2986 | 2797




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

2026 Corn - Minnesota Southwest [MNSW]

Early-Season Test Products (39 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4601PCE	PCE	Y	100	CM,C2,Vi,Va
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A4050-DS	DS	Y	100	CM,C5
Augusta	A4052-DV	DV	Y	102	CM,C5
Augusta	A4248-V	V	Y	98	CM,C5
DeKalb	DKC101-33RIB	STXP	N*	101	AC,P5V,EDC-EL
DeKalb	DKC102-18	STXP	Y	102	AC,P5V,EDC-EL
Enestvedt	E514	CONV	N	103	CM,C2,Vi,Va
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Heine	7070PCE	PCE	Y	100	HEINE
Heine	7085VT4PRIB	VT4P	Y	100	HEINE
Heine	7141TRE	TRE	Y	101	HEINE
Heine	7291PCE	PCE	Y	102	HEINE
Heine	7480DGVT2PRIB	VT2PDG	Y	102	HEINE
Hoegemeyer	7047V	VE	Y	100	Lum, L1
Hoegemeyer	7108V	VE	Y	101	Lum, L1
Jacobsen	JS0034SSP	STXP	Y	100	Treated
Jacobsen	JS0114VT2P	VT2P	Y	100	Treated
Jacobsen	JS0205TRE	TRE	N	102	Treated
Jacobsen	JS0342DGVT2P	VT2PDG	Y	102	Treated
Jacobsen	JS9863VT4P	VT4P	Y	98	Treated
Pioneer	P02405	PCE	N*	102	Lum, L1
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Prairie Hybrids	1556	CONV	N	101	L,L,A5E
Renk	RK5518TRE	TRE	N	97	AC,P5
Renk	RK5670VT4PRO	VT4P	N	99	AC,P5
Renk	RK5699TRE	TRE	N	100	AC,P5
Renk	RK630TRE	TRE	N	102	AC,P5
Renk	RK6610PCE	PC	N	101	CM,C2,Vi
Titan Pro	51-01 SSP	STXP	Y	101	LumPro P2
Titan Pro	55-99	CONV	N	99	LumPro P2
Titan Pro	57-01 PCE	PCE	Y	101	LumPro P2
Titan Pro	62-02 SSP	STXP	Y	102	AC,P5V,EDC-EL
Titan Pro	68-98 PCE	PCE	Y	98	LumPro P2
Viking | Blue River	67-00	CONV	N	100	CM,C2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Wyffels	W2105	TRE	N	99	AC,P5V
Wyffels	W2674RIB	PCE	Y*	101	CM,C2,Vi,Va
Wyffels	W2867	VT4P	N	102	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southwest [MNSW]

Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	465SSP	STXP	Y	105	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C2
Augusta	A2356-CONV	CONV	N	106	CM,C2
Channel	205-08TRERIB	TRE	Y*	105	AC,P5V,EDC-EL
DeKalb	DKC56-26RIB	TRE	Y*	106	AC,P5V,EDC-EL
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E526	CONV	N	105	CM,C5,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E556SSP RIB	STXP	Y	105	AC,P5
Enestvedt	E595	CONV	N	106	CM,C2,Vi,Va
Epley	E1340	CONV	N	103	Vi5
Epley	E1540	CONV	N	105	Vi5
Heine	7429PCE	PCE	Y	104	HEINE
Heine	7688PCE	PCE	Y	106	HEINE
Heine	7733SSPRIB	STXP	Y	107	HEINE
Heine	7759PCE	PCE	Y	107	HEINE
Heine	7810TRE	TRE	Y	107	HEINE
Hoegemeyer	7369V	VE	Y	103	Lum, L1
Jacobsen	JS0593PCE	PCE	Y	105	Treated
Jacobsen	JS0655PCE	PCE	N	106	Treated
Jacobsen	JS0684SS	STX	Y	106	Treated
Jacobsen	JS0715SSP	STXP	N	107	Treated
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P05737PCE	PCE	Y	105	Lum, L1
Prairie Hybrids	2311 ORG	ORG	N	103	L,L,A5E
Prairie Hybrids	4556	CONV	N	106	L,L,A5E
Prairie Hybrids	4991 ORG	ORG	N	106	L,L,A5E
Renk	RK6640TRE	TRE	N	103	AC,P5
Renk	RK6671SSPRO	STXP	N	104	AC,P5
Renk	RK6690PCE	PC	N	105	CM,C2,Vi
Renk	RK705VT4PRO	VT4P	N	105	AC,P5
Renk	RK7577SSPRO	STXP	N	107	AC,P5
Titan Pro	46-03 PCE	PCE	Y	103	LumPro P2
Titan Pro	47-03	CONV	N	103	LumPro P2
Titan Pro	67-07SSP	STXP	Y	107	AC,P5V,EDC-EL
Viking | Blue River	66-05	CONV	N	105	CM,C2
Viking | Blue River	72-06	CONV	N	106	CM,C2
Wyffels	W3654RIB	PCE	Y*	104	AC,P5V
Wyffels	W4487RIB	VT4P	Y*	106	CM,C2,Vi,Va
Wyffels	W4514RIB	PCE	Y*	106	CM,C2,Vi,Va
Wyffels	W4545	TRE	N	106	AC,P5V
Wyffels	W4889	STXP	N	107	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southwest [MNSW]

Ultra Late-Season Test Products (30 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2162-AA	AA	Y*	112	CM,C2
Augusta	A4862-CONV	CONV	N	112	CM,C2
Channel	208-68TRERIB	TRE	Y	108	AC,P5V,EDC-EL
Channel	211-06VT4PRIB	VT4P	Y*	111	AC,P5V,EDC-EL
Hoegemeyer	7925V	VE	Y	109	Lum, L1
Hoegemeyer	8161PCE	PCE	Y	111	Lum, L1
Jacobsen	JS1025TRE	TRE	N	110	Treated
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P08527V	V	N*	108	Lum, L1
Pioneer	P0859AM	AM	Y	108	Lum, L1
Pioneer	P1027AM	AM	Y	110	Lum, L1
Prairie Hybrids	6211 ORG	ORG	N	112	L,L,A5E
Prairie Hybrids	6251 ORG	ORG	N	111	L,L,A5E
Prairie Hybrids	7184	CONV	N	112	L,L,A5E
Renk	RK7590SSPRO	STXP	N	109	AC,P5
Renk	RK7626SSPRO	STXP	N	108	AC,P5
Renk	RK7688SSPRO	STXP	N	110	AC,P5
Renk	RK825VT4PRO	VT4P	N	112	AC,P5
Renk	RK8501PCE	PCE	N	110	CM,C2,Vi
Titan Pro	50-12	CONV	N	112	LumPro P2
Titan Pro	58-08	CONV	N	108	LumPro P2
Titan Pro	62-10 PCE	PCE	Y	110	LumPro P2
Titan Pro	63-08	CONV	N	108	LumPro P2
Viking | Blue River	62-12	CONV	N	112	CM,C2
Viking | Blue River	63-09	CONV	N	109	CM,C2
Wyffels	W5610	CONV	N	108	CM,C2,Vi,Va
Wyffels	W5735	TRE	N	109	AC,P5V
Wyffels	W6644	PCE	N	110	CM,C2,Vi,Va
Wyffels	W7229	STXP	N	112	AC,P5V
Wyffels	W7544	PCE	N	112	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
CONV	Conventional
DS	Durastak™ (NOTE: Approval required from all major corn importing countries prior to March 31. An exception may be possible in some FIRST regions. Please check with the Field Manager of a region of interest _before_ entering technologies with export limitations.)
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
ORG	Organic certified, conventional
PC	PowerCore®
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P5	Acceleron® 500
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
CM,C2	CruiserMaxx® 250
CM,C2,Vi	CruiserMaxx® 250 with Vibrance
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
CM,C5,Vi,Va	CruiserMaxx® 500 with Vibrance, Vayantis®
HEINE	Heine unspecified treatment
L,L,A5E	LumiscendPro, Lumiflex, Actellic 5E
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.