first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] CANNON FALLS, MN

Hernke Inc., Marc Hernke, Goodhue County, MN 55009

Ultra Early-Season Test	**92** - **96** Day CRM B2026MNSE12u
Top 23 of 23	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Enlite, Enlist, Dual
SOIL DESCRIPTION:	Byron silt loam, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 7.38 pH, 4.11% OM, 18.73 CEC, high P, high K, low S, high B, high Zn
CROP PROTECTION:	Resicore (H), Impact (H), Atrazine (H)
FERTILITY - Applied N:	150 Spring
Applied N-P-K (units):	150-0-0
SEEDED - RATE - ROW:	May 9 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 31 33.4 /A
PEST & DISEASE RISK:	Rootworm, Pythium*

TEST COMMENTS:

Soil tilth was so loose and dry at planting that I set the seed depth at 3". Every kernel popped at this highly fertile site. There is a long history of dairy manure and alfalfa in the corn/soybean rotation. Plants stood very well at harvest, and corn moisture was dry enough to put in the grain bin (as is the case with a lot of corn acres in southern MN this year). Marc told me that his yields are a little bit above average this year. He also stated that rainfall was below average this year. Plants were very healthy at harvest, but no fungicide was applied here.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Augusta	A2246-PCE ⇗	PCE	96	**280.7**	15.8	0	33.7	1168	1
Hoegemeyer	6643PCE ⇗	PCE	96	**271.6**	15.3	0	34.6	1137	2
Enestvedt	E654 ⇗	CONV	96	**271.1**	15.4	0	33.3	1133	3
Augusta	A2246-CONV ⇗	CONV	96	**269.8**	15.3	0	34.2	1129	4
Renk	RK4696SSPRO ⇗	STXP	95	**266.6**	15.5	0	32.4	1113	5
Augusta	A4146-V ⇗	V	96	261.8	15.9	0	33.3	1087	6
Renk	RK5652PCE ⇗	PC	96	260.9	15.9	0	33.3	1084	7
Augusta	A2146-DV-EZ ⇗	DV	96	260.2	16.0	0	34.2	1080	9
Hoegemeyer	6370PCE ⇗	PCE	93	258.5	15.4	0	34.6	1081	8
Renk	RK4656PCE ⇗	PC	93	258.0	15.4	0	33.3	1078	10
Enestvedt	E656TRE ⇗	TRE	96	254.6	15.6	0	32.4	1062	11
Titan Pro	41-96 SSP ⇗	STXP	96	251.6	15.7	0	31.5	1048	13
Wyffels	W1487 ⇗	VT4P	95	251.2	15.2	0	34.6	1052	12
Anderson	4595 ⇗	CONV	95	250.7	15.6	0	33.3	1045	15
Titan Pro	54-94 PCE ⇗	PCE	94	250.3	15.8	0	34.2	1041	16
Enestvedt	E664 ⇗	CONV	96	249.9	15.3	0	32.8	1046	14
Prairie Hybrids	591 ORG ⇗	ORG	95	248.4	15.7	0	33.7	1035	17
DeKalb	DKC96-96RIB GC ⇗	V	96	243.1	15.7	0	32.4	1013	18
Augusta	A4143-3110 ⇗	3110	93	242.9	15.9	0	33.7	1010	19
Renk	RK4545AV ⇗	V	93	241.0	15.7	0	32.8	1003	21
Pioneer	P92399PCE GC ⇗	PCE	92	240.0	15.3	0	32.8	1005	20
Pioneer	P92399V GC ⇗	V	92	237.9	15.2	0	34.2	996	22
Renk	RK444SSTX ⇗	STX	95	231.3	15.4	0	33.7	967	23
				Averages =	**254.4**	**15.6**		**33.4**	**1061**
				LSD (0.10) =	11.6	0.3	ns		
				LSD (0.25) =	6.0	0.1	ns		
				C.V. =	4.3				

Historic yield: 222.6 bu/a, 22 yr(s)

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/01/2026

Additional reports available at **www.firstseedtests.com**

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] CANNON FALLS, MN

Hernke Inc., Marc Hernke, Goodhue County, MN 55009

Early-Season Test	**97** - **102** Day CRM B2026MNSE12a
Top 30 of 36	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Enlite, Enlist, Dual
SOIL DESCRIPTION:	Byron silt loam, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 7.38 pH, 4.11% OM, 18.73 CEC, high P, high K, low S, high B, high Zn
CROP PROTECTION:	Resicore (H), Impact (H), Atrazine (H)
FERTILITY - Applied N:	150 Spring
Applied N-P-K (units):	150-0-0
SEEDED - RATE - ROW:	May 9 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 31 33.5 /A
PEST & DISEASE RISK:	Rootworm, Pythium*

TEST COMMENTS:

Soil tilth was so loose and dry at planting that I set the seed depth at 3". Every kernel popped at this highly fertile site. There is a long history of dairy manure and alfalfa in the corn/soybean rotation. Plants stood very well at harvest, and corn moisture was dry enough to put in the grain bin (as is the case with a lot of corn acres in southern MN this year). Marc told me that his yields are a little bit above average this year. He also stated that rainfall was below average this year. Plants were very healthy at harvest, but no fungicide was applied here.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Titan Pro	57-01 PCE ⇗	PCE	101	**294.4**	16.0	0	34.2	1222	1
Viking | Blue River	67-00 ⇗	CONV	100	**289.5**	15.7	0	33.3	1205	2
Cornelius	C6034PCE ⇗	PCE	100	**284.0**	16.0	0	33.7	1178	3
Enestvedt	*E514 ⇗*	*CONV*	*103*	***282.1***	*15.7*	*0*	*32.4*	*1175*	*4*
Jacobsen	JS0205TRE ⇗	TRE	102	**281.2**	16.1	0	33.3	1166	5
Titan Pro	56-01 ⇗	CONV	101	**280.6**	15.9	0	34.6	1166	6
Renk	RK5699TRE ⇗	TRE	100	**279.9**	16.0	0	33.3	1162	7
Renk	RK6610PCE ⇗	PC	101	**278.3**	15.7	0	33.7	1159	8
Integra	5136 PCE ⇗	PC	101	**277.6**	15.6	0	33.7	1157	9
Wyffels	W2674RIB ⇗	PCE	101	277.3	16.0	0	34.2	1151	10
Renk	RK5518TRE ⇗	TRE	97	274.5	15.6	0	33.7	1144	11
Enestvedt	E539 ⇗	CONV	102	269.0	15.5	0	33.7	1123	12
Wyffels	W2867 ⇗	VT4P	102	267.6	15.6	0	33.3	1115	13
Titan Pro	55-99 ⇗	CONV	99	267.4	15.7	1	33.3	1113	14
DeKalb	DKC101-33RIB GC ⇗	STXP	101	266.5	16.1	0	34.6	1105	17
Wyffels	W2105 ⇗	TRE	99	266.1	15.8	0	31.5	1107	15
Renk	RK630TRE ⇗	TRE	102	265.5	16.1	3	33.3	1100	18
Pioneer	P02405 GC ⇗	PCE	102	264.5	15.4	0	33.3	1106	16
Cornelius	C6163TRE ⇗	TRE	101	264.3	15.9	3	32.8	1099	19
Hoegemeyer	7108V ⇗	VE	101	262.1	15.6	14	32.8	1093	22
Augusta	A3152-PWE ⇗	PCE	102	261.9	15.4	0	34.2	1095	21
Hoegemeyer	7047V ⇗	VE	100	261.3	16.0	0	32.8	1084	23
Cornelius	C5917 ⇗	CONV	99	257.9	16.1	0	32.4	1069	25
Anderson	747SSP ⇗	STXP	98	256.9	15.5	3	33.7	1073	24
Integra	5055 VT4PRIB ⇗	VT4P	100	255.3	15.9	0	33.3	1061	26
Augusta	A4050-DS ⇗	DS	100	251.0	16.1	8	32.4	1041	28
Anderson	6698 ⇗	CONV	98	250.2	15.6	0	34.6	1044	27
Augusta	A4052-DV ⇗	DV	102	250.2	16.3	1	34.2	1035	29
Titan Pro	51-01 SSP ⇗	STXP	101	248.7	16.3	0	33.7	1028	30
Augusta	A4248-V ⇗	V	98	247.2	16.2	0	33.7	1023	31
Pioneer	P03951PCE CK	PCE	103	265.1	16.2	0	33.7	1098	20
			Averages =	**263.9**	**15.9**	**2**	**33.5**	**1097**	
			LSD (0.10) =	13.6	0.3	5			
			LSD (0.25) =	7.1	0.2	3			
			C.V. =	4.9					

Historic yield: 222.6 bu/a, 22 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Report Date: 11/01/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] CANNON FALLS, MN

Hernke Inc., Marc Hernke, Goodhue County, MN 55009

Full-Season Test	**103** - **107** Day CRM B2026MNSE12b
Top 30 of 35	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Enlite, Enlist, Dual
SOIL DESCRIPTION:	Byron silt loam, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 7.38 pH, 4.11% OM, 18.73 CEC, high P, high K, low S, high B, high Zn
CROP PROTECTION:	Resicore (H), Impact (H), Atrazine (H)
FERTILITY - Applied N:	150 Spring
Applied N-P-K (units):	150-0-0
SEEDED - RATE - ROW:	May 9 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 31 33.3 /A
PEST & DISEASE RISK:	Rootworm, Pythium*

TEST COMMENTS:

Soil tilth was so loose and dry at planting that I set the seed depth at 3". Every kernel popped at this highly fertile site. There is a long history of dairy manure and alfalfa in the corn/soybean rotation. Plants stood very well at harvest, and corn moisture was dry enough to put in the grain bin (as is the case with a lot of corn acres in southern MN this year). Marc told me that his yields are a little bit above average this year. He also stated that rainfall was below average this year. Plants were very healthy at harvest, but no fungicide was applied here.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Epley	E1340 ⇗	CONV	103	**300.3**	16.1	1	32.8	1244	1
Jacobsen	JS0655PCE ⇗	PCE	106	**295.2**	16.8	0	33.7	1214	2
Epley	E1450 ⇗	CONV	104	**293.8**	16.7	0	32.4	1209	3
Renk	RK6690PCE ⇗	PC	105	**292.4**	16.7	0	32.4	1204	4
Enestvedt	E526 ⇗	CONV	105	**290.4**	16.6	0	32.8	1197	5
Jacobsen	JS0593PCE ⇗	PCE	105	**289.4**	16.8	0	33.7	1189	7
Viking | Blue River	75-07 ⇗	CONV	107	**288.0**	16.7	0	34.2	1185	8
Viking | Blue River	49-05 ⇗	CONV	105	287.6	16.3	0	33.3	1190	6
Enestvedt	E523 ⇗	CONV	107	287.2	17.0	0	32.4	1177	9
Renk	RK7577SSPRO ⇗	STXP	107	283.8	16.5	14	34.6	1171	10
Renk	RK6671SSPRO ⇗	STXP	104	281.9	16.2	0	34.2	1168	11
Wyffels	W4514RIB ⇗	PCE	106	281.7	17.1	0	33.3	1154	16
Wyffels	W4545 ⇗	TRE	106	280.5	16.1	0	33.3	1162	12
Wyffels	W3654RIB ⇗	PCE	104	280.4	16.4	0	31.9	1159	13
Augusta	A2355-CONV ⇗	CONV	105	280.0	16.4	3	32.4	1157	14
Titan Pro	67-07SSP GC ⇗	STXP	107	279.9	16.4	0	32.8	1156	15
Cornelius	C6618 ⇗	CONV	106	279.0	16.9	0	34.6	1146	18
Augusta	A2356-CONV ⇗	CONV	106	278.1	16.2	0	33.3	1151	17
Enestvedt	E541 ⇗	CONV	106	277.8	16.7	0	32.8	1144	19
Augusta	A2254-CONV ⇗	CONV	104	273.4	16.6	1	34.2	1126	21
Hoegemeyer	7369V ⇗	VE	103	271.6	16.3	0	33.3	1123	22
Jacobsen	JS0715SSP ⇗	STXP	107	265.2	16.7	0	33.3	1091	24
DeKalb	DKC56-26RIB GC ⇗	TRE	106	264.0	15.9	0	33.7	1097	23
Cornelius	C6523 ⇗	CONV	105	263.2	16.7	3	33.3	1084	26
Cornelius	C6377TRE ⇗	TRE	103	262.9	16.0	0	33.7	1091	25
Wyffels	W4889 ⇗	STXP	107	262.6	16.6	1	34.2	1082	27
Augusta	A3255-D-EZ ⇗	D	105	260.4	16.6	3	33.3	1073	28
Renk	RK6640TRE ⇗	TRE	103	257.1	16.6	0	33.3	1059	29
Wyffels	W4487RIB ⇗	VT4P	106	252.4	16.2	0	32.8	1045	30
Renk	RK705VT4PRO ⇗	VT4P	105	250.7	16.2	0	32.8	1038	31
Pioneer	P03951PCE CK	PCE	103	276.2	16.3	0	33.3	1142	20
			Averages =	**272.6**	**16.4**	**1**	**33.3**	**1125**	
			LSD (0.10) =	15.3	0.4	4			
			LSD (0.25) =	8.0	0.2	2			
			C.V. =	5.3					

Historic yield: 222.6 bu/a, 22 yr(s)

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/01/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**


©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Minnesota Southeast [MNSE]

Weather Conditions Summary at CANNON FALLS, MN

Weather Data Retrieved: 11/01/2026


Monthly Total	Apr*	May	Jun	Jul	Aug	Sep	Oct*	Total
Precip (in) | (Diff)	0.8 | 0.4 (+0.3)	2.0 | 4.3 (-2.3)	3.5 | 4.1 (-0.6)	3.2 | 3.6 (-0.4)	2.8 | 3.7 (-0.9)	5.4 | 2.5 (+2.9)	1.9 | 2.4 (-0.5)	19.6 | 21.0 (-1.4)
GDU | Avg (Diff)	24 | 0 (+24)	302 | 300 (+1)	523 | 564 (-41)	730 | 645 (+84)	582 | 564 (+17)	432 | 393 (+38)	271 | 94 (+176)	2864 | 2562




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

2026 Corn - Minnesota Southeast [MNSE]

Ultra Early-Season Test Products (23 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4595	CONV	N	95	AL2500
Augusta	A2146-DV-EZ	DV	Y	96	CM,C2
Augusta	A2246-CONV	CONV	N	96	CM,C5
Augusta	A2246-PCE	PCE	N	96	CM,C5
Augusta	A4143-3110	3110	N	93	CM,C2
Augusta	A4146-V	V	Y	96	CM,C5
DeKalb	DKC96-96RIB	V	Y*	96	AC,P5V,EDC-EL
Enestvedt	E654	CONV	N	96	CM,C2,Vi,Va
Enestvedt	E656TRE	TRE	Y	96	AC,P5
Enestvedt	E664	CONV	N	96	CM,C2,Vi,Va
Hoegemeyer	6370PCE	PCE	Y	93	Lum, L1
Hoegemeyer	6643PCE	PCE	Y	96	Lum, L1
Pioneer	P92399PCE	PCE	Y*	92	Lum, L1
Pioneer	P92399V	V	Y	92	Lum, L1
Prairie Hybrids	591 ORG	ORG	N	95	L,L,A5E
Renk	RK444SSTX	STX	Y	95	AC,P5
Renk	RK4545AV	V	N	93	AC,P5
Renk	RK4656PCE	PC	N	93	CM,C2,Vi
Renk	RK4696SSPRO	STXP	N	95	AC,P5
Renk	RK5652PCE	PC	N	96	CM,C2,Vi
Titan Pro	41-96 SSP	STXP	Y	96	LumPro P2
Titan Pro	54-94 PCE	PCE	Y	94	LumPro P2
Wyffels	W1487	VT4P	N	95	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southeast [MNSE]

Early-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	6698	CONV	N	98	CM,C5,Vi,Va
Anderson	747SSP	STXP	N	98	AC,P5V
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A3152-PWE	PCE	N	102	CM,C5
Augusta	A4050-DS	DS	Y	100	CM,C5
Augusta	A4052-DV	DV	Y	102	CM,C5
Augusta	A4248-V	V	Y	98	CM,C5
Cornelius	C5917	CONV	Y*	99	CM,C2,Vi,Va
Cornelius	C6034PCE	PCE	N	100	CM,C2,Vi,Va
Cornelius	C6163TRE	TRE	N	101	AC,P5V
DeKalb	DKC101-33RIB	STXP	N*	101	AC,P5V,EDC-EL
DeKalb	DKC102-18	STXP	Y	102	AC,P5V,EDC-EL
Enestvedt	E514	CONV	N	103	CM,C2,Vi,Va
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Hoegemeyer	7047V	VE	Y	100	Lum, L1
Hoegemeyer	7108V	VE	Y	101	Lum, L1
Integra	4796 SSPRORIB	STXP	Y	97	AC,P5,N314,SU
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5136 PCE	PC	Y	101	AC,P5,N314,SU
Jacobsen	JS0205TRE	TRE	N	102	Treated
Pioneer	P02405	PCE	N*	102	Lum, L1
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Renk	RK5518TRE	TRE	N	97	AC,P5
Renk	RK5670VT4PRO	VT4P	N	99	AC,P5
Renk	RK5699TRE	TRE	N	100	AC,P5
Renk	RK630TRE	TRE	N	102	AC,P5
Renk	RK6610PCE	PC	N	101	CM,C2,Vi
Titan Pro	51-01 SSP	STXP	Y	101	LumPro P2
Titan Pro	55-99	CONV	N	99	LumPro P2
Titan Pro	56-01	CONV	N	101	LumPro P2
Titan Pro	57-01 PCE	PCE	Y	101	LumPro P2
Titan Pro	62-02 SSP	STXP	Y	102	AC,P5V,EDC-EL
Viking | Blue River	67-00	CONV	N	100	CM,C2
Wyffels	W2105	TRE	N	99	AC,P5V
Wyffels	W2674RIB	PCE	Y*	101	CM,C2,Vi,Va
Wyffels	W2867	VT4P	N	102	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southeast [MNSE]

Full-Season Test Products (35 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2254-CONV	CONV	N	104	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C2
Augusta	A2356-CONV	CONV	N	106	CM,C2
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Cornelius	C6377TRE	TRE	N	103	CM,C2,Vi,Va
Cornelius	C6523	CONV	N	105	CM,C2,Vi,Va
Cornelius	C6618	CONV	N	106	CM,C2,Vi,Va
DeKalb	DKC56-26RIB	TRE	Y*	106	AC,P5V,EDC-EL
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E526	CONV	N	105	CM,C5,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E556SSP RIB	STXP	Y	105	AC,P5
Enestvedt	E595	CONV	N	106	CM,C2,Vi,Va
Epley	E1340	CONV	N	103	Vi5
Epley	E1450	CONV	N	104	Vi5
Hoegemeyer	7369V	VE	Y	103	Lum, L1
Jacobsen	JS0593PCE	PCE	Y	105	Treated
Jacobsen	JS0655PCE	PCE	N	106	Treated
Jacobsen	JS0715SSP	STXP	N	107	Treated
Kluver Farms	RWK 07-201	CONV	N	107	NA
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P05737PCE	PCE	Y	105	Lum, L1
Renk	RK6640TRE	TRE	N	103	AC,P5
Renk	RK6671SSPRO	STXP	N	104	AC,P5
Renk	RK6690PCE	PC	N	105	CM,C2,Vi
Renk	RK705VT4PRO	VT4P	N	105	AC,P5
Renk	RK7577SSPRO	STXP	N	107	AC,P5
Titan Pro	67-07SSP	STXP	Y	107	AC,P5V,EDC-EL
Viking | Blue River	49-05	CONV	U	105	CM,C2
Viking | Blue River	75-07	CONV	N	107	CM,C2
Wyffels	W3654RIB	PCE	Y*	104	AC,P5V
Wyffels	W4487RIB	VT4P	Y*	106	CM,C2,Vi,Va
Wyffels	W4514RIB	PCE	Y*	106	CM,C2,Vi,Va
Wyffels	W4545	TRE	N	106	AC,P5V
Wyffels	W4889	STXP	N	107	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DS	Durastak™ (NOTE: Approval required from all major corn importing countries prior to March 31. An exception may be possible in some FIRST regions. Please check with the Field Manager of a region of interest _before_ entering technologies with export limitations.)
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
ORG	Organic certified, conventional
PC	PowerCore®
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P5	Acceleron® 500
AC,P5,N314,SU	Acceleron® Poncho 500, N-314 STEPUP
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
AL2500	Alert 2500, Surefire
CM,C2	CruiserMaxx® 250
CM,C2,Vi	CruiserMaxx® 250 with Vibrance
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
CM,C5,Vi,Va	CruiserMaxx® 500 with Vibrance, Vayantis®
L,L,A5E	LumiscendPro, Lumiflex, Actellic 5E
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.