first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] KASSON, MN

Brian Herbst, Dodge County, MN 55944

Ultra Early-Season Test	**92** - **96** Day CRM B2026MNSE09u
Top 23 of 23	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Dual, Callisto, Zidua, Enlist, Liberty
SOIL DESCRIPTION:	Readlyn silt loam, mod. poorly drained, non-irrigated
SOIL CONDITION:	Minimum W/ Fall Till, 6.72 pH, 4.3% OM, 14.78 CEC, high P, high K, low S, high B, high Zn
CROP PROTECTION:	Undercover (H), Aztec (I), Atrazine 4l (H)
FERTILITY - Applied N:	90 Spring, 86 Sidedress, 42 lb Sulfur
Applied N-P-K (units):	176-43-72
SEEDED - RATE - ROW:	May 3 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 30 33.0 /A
PEST & DISEASE RISK:	Anthracnose, Bacterial Leaf Streak*

TEST COMMENTS:

Brian stated that soil moisture in the spring of 2026 was already short. Seedling roots went deep quickly because of the dry soil conditions. The first substantial rain was 1.5" on June 24, and rain fell "just in time" through August. Sustained winds of 65 mph (for 45 minutes) hit Brian's fields on Sept 2nd, causing an average of 57% stalk lodging across this yield plot. Most plants snapped 2 feet above ground and fell across the rows, but the stalks did not separate in half. This allowed my combine corn head to pick up most of the corn in each plot. Yields were impressive considering the extreme lodging, but Brian reports a record corn crop yield across his acres despite the stalk lodging. Excessive rain in Sept/Oct finished off this crazy season.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Renk	RK5652PCE ⇗	PC	96	**260.4**	15.0	60	31.5	1093	1
Augusta	A2246-CONV ⇗	CONV	96	**247.1**	15.2	41	33.3	1036	2
Anderson	4595 ⇗	CONV	95	**245.2**	14.7	43	33.3	1030	3
Hoegemeyer	6643PCE ⇗	PCE	96	**244.5**	14.6	55	32.8	1027	4
Enestvedt	E654 ⇗	CONV	96	**243.6**	15.3	30	33.3	1019	5
Augusta	A4146-V ⇗	V	96	**241.6**	15.5	28	34.2	1008	7
Pioneer	P92399V GC ⇗	V	92	240.6	14.7	94	31.9	1011	6
Augusta	A2246-PCE ⇗	PCE	96	238.7	15.1	41	32.4	1001	8
Renk	RK4656PCE ⇗	PC	93	236.3	15.0	41	32.8	992	9
Enestvedt	E656TRE ⇗	TRE	96	232.3	15.1	79	32.8	975	10
Enestvedt	E664 ⇗	CONV	96	231.7	15.8	100	31.5	964	13
Augusta	A2146-DV-EZ ⇗	DV	96	230.6	15.7	70	33.7	960	15
Renk	RK4696SSPRO ⇗	STXP	95	230.4	14.5	48	33.7	968	11
DeKalb	DKC96-96RIB GC ⇗	V	96	230.1	15.0	28	34.6	966	12
Hoegemeyer	6370PCE ⇗	PCE	93	229.7	15.1	70	32.4	964	14
Prairie Hybrids	591 ORG ⇗	ORG	95	229.3	15.5	33	31.9	957	16
Wyffels	W1487 ⇗	VT4P	95	220.8	14.5	31	33.7	927	17
Pioneer	P92399PCE GC ⇗	PCE	92	218.7	15.3	42	33.3	915	18
Titan Pro	54-94 PCE ⇗	PCE	94	216.8	15.3	40	33.7	908	19
Augusta	A4143-3110 ⇗	3110	93	215.8	15.6	100	32.4	900	20
Renk	RK4545AV ⇗	V	93	214.3	15.6	88	33.7	894	22
Renk	RK444SSTX ⇗	STX	95	213.9	14.9	23	34.6	898	21
Titan Pro	41-96 SSP ⇗	STXP	96	201.6	15.5	94	31.0	842	23
			Averages =	**231.0**	**15.1**	**56**	**33.0**	**968**	
			LSD (0.10) =	9.8	0.4	21			
			LSD (0.25) =	5.1	0.2	11			
			C.V. =	4.0					

Historic yield: 222.91 bu/a, 25 yr(s)

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/02/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] KASSON, MN

Brian Herbst, Dodge County, MN 55944

Early-Season Test	**97** - **102** Day CRM B2026MNSE09a
Top 30 of 36	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Dual, Callisto, Zidua, Enlist, Liberty
SOIL DESCRIPTION:	Readlyn silt loam, mod. poorly drained, non-irrigated
SOIL CONDITION:	Minimum W/ Fall Till, 6.72 pH, 4.3% OM, 14.78 CEC, high P, high K, low S, high B, high Zn
CROP PROTECTION:	Undercover (H), Aztec (I), Atrazine 4l (H)
FERTILITY - Applied N:	90 Spring, 86 Sidedress, 42 lb Sulfur
Applied N-P-K (units):	176-43-72
SEEDED - RATE - ROW:	May 3 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 30 32.6 /A
PEST & DISEASE RISK:	Anthracnose, Bacterial Leaf Streak*

TEST COMMENTS:

Brian stated that soil moisture in the spring of 2026 was already short. Seedling roots went deep quickly because of the dry soil conditions. The first substantial rain was 1.5" on June 24, and rain fell "just in time" through August. Sustained winds of 65 mph (for 45 minutes) hit Brian's fields on Sept 2nd, causing an average of 57% stalk lodging across this yield plot. Most plants snapped 2 feet above ground and fell across the rows, but the stalks did not separate in half. This allowed my combine corn head to pick up most of the corn in each plot. Yields were impressive considering the extreme lodging, but Brian reports a record corn crop yield across his acres despite the stalk lodging. Excessive rain in Sept/Oct finished off this crazy season.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Titan Pro	57-01 PCE ⇗	PCE	101	**268.6**	15.3	30	32.8	1125	1
Hoegemeyer	7108V ⇗	VE	101	**268.1**	15.6	79	33.7	1118	2
Viking | Blue River	67-00 ⇗	CONV	100	**258.3**	15.3	75	32.4	1081	3
Augusta	A4052-DV ⇗	DV	102	**258.3**	15.7	40	31.9	1075	7
Titan Pro	56-01 ⇗	CONV	101	**257.8**	15.3	75	32.4	1079	5
Anderson	747SSP ⇗	STXP	98	**256.1**	14.4	45	31.0	1076	6
Integra	5136 PCE ⇗	PC	101	**254.4**	15.2	55	33.3	1066	8
Titan Pro	51-01 SSP ⇗	STXP	101	**252.5**	15.6	41	34.2	1053	10
DeKalb	DKC101-33RIB GC ⇗	STXP	101	**252.3**	15.3	35	33.3	1055	9
Augusta	A3048-AA-EZ ⇗	AA	98	247.3	15.7	59	33.3	1030	12
Integra	4796 SSPRORIB ⇗	STXP	97	245.6	14.7	27	32.8	1032	11
Pioneer	P02405 GC ⇗	PCE	102	245.0	14.9	54	32.8	1029	13
Augusta	A4050-DS ⇗	DS	100	242.9	15.8	55	31.5	1010	15
Jacobsen	JS0205TRE ⇗	TRE	102	242.1	15.2	65	34.6	1015	14
Augusta	A3152-PWE ⇗	PCE	102	240.9	15.4	55	33.7	1007	16
Renk	RK6610PCE ⇗	PC	101	238.9	15.1	66	32.4	1002	17
Cornelius	C6163TRE ⇗	TRE	101	237.3	14.8	87	32.4	997	18
Cornelius	C6034PCE ⇗	PCE	100	235.9	15.3	54	31.9	988	19
Wyffels	W2674RIB ⇗	PCE	101	235.4	15.4	52	32.8	984	20
Wyffels	W2867 ⇗	VT4P	102	233.9	15.2	72	32.4	980	21
Enestvedt	E539 ⇗	CONV	102	233.3	15.2	54	33.3	978	22
Hoegemeyer	7047V ⇗	VE	100	228.8	15.3	94	32.8	958	24
Renk	RK5518TRE ⇗	TRE	97	228.3	14.9	69	33.3	959	23
Augusta	A4248-V ⇗	V	98	226.2	15.2	35	33.3	947	25
DeKalb	DKC102-18 GC ⇗	STXP	102	225.9	15.2	35	32.4	947	26
Cornelius	C5917 ⇗	CONV	99	222.1	15.8	28	32.4	924	28
Integra	5055 VT4PRIB ⇗	VT4P	100	221.6	15.3	42	31.9	928	27
Enestvedt	*E514 ⇗*	*CONV*	*103*	*218.7*	*15.8*	*72*	*33.3*	*909*	*29*
Renk	RK630TRE ⇗	TRE	102	215.4	14.9	65	32.8	905	30
Anderson	6698 ⇗	CONV	98	208.1	15.1	49	32.8	873	31
Pioneer	P03951PCE CK	PCE	103	258.5	15.4	45	31.9	1080	4
			Averages =	**234.5**	**15.3**	**60**	**32.6**	**981**	
			LSD (0.10) =	13.4	ns	23			
			LSD (0.25) =	7.0	ns	12			
			C.V. =	5.4					

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Historic yield: 222.91 bu/a, 25 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/02/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] KASSON, MN

Brian Herbst, Dodge County, MN 55944

Full-Season Test	**103** - **107** Day CRM B2026MNSE09b
Top 30 of 35	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Dual, Callisto, Zidua, Enlist, Liberty
SOIL DESCRIPTION:	Readlyn silt loam, mod. poorly drained, non-irrigated
SOIL CONDITION:	Minimum W/ Fall Till, 6.72 pH, 4.3% OM, 14.78 CEC, high P, high K, low S, high B, high Zn
CROP PROTECTION:	Undercover (H), Aztec (I), Atrazine 4l (H)
FERTILITY - Applied N:	90 Spring, 86 Sidedress, 42 lb Sulfur
Applied N-P-K (units):	176-43-72
SEEDED - RATE - ROW:	May 3 35.2 /A 30" spacing
HARVESTED - STAND:	Oct 30 31.8 /A
PEST & DISEASE RISK:	Anthracnose, Bacterial Leaf Streak*

TEST COMMENTS:

Brian stated that soil moisture in the spring of 2026 was already short. Seedling roots went deep quickly because of the dry soil conditions. The first substantial rain was 1.5" on June 24, and rain fell "just in time" through August. Sustained winds of 65 mph (for 45 minutes) hit Brian's fields on Sept 2nd, causing an average of 57% stalk lodging across this yield plot. Most plants snapped 2 feet above ground and fell across the rows, but the stalks did not separate in half. This allowed my combine corn head to pick up most of the corn in each plot. Yields were impressive considering the extreme lodging, but Brian reports a record corn crop yield across his acres despite the stalk lodging. Excessive rain in Sept/Oct finished off this crazy season.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Viking | Blue River	75-07 ⇗	CONV	107	**271.7**	15.6	36	31.0	1133	1
Enestvedt	E523 ⇗	CONV	107	**259.2**	16.5	38	33.7	1069	2
Jacobsen	JS0593PCE ⇗	PCE	105	**251.6**	15.9	50	33.3	1046	3
Hoegemeyer	7369V ⇗	VE	103	**249.0**	16.0	75	32.8	1033	5
Enestvedt	E541 ⇗	CONV	106	**248.1**	16.9	39	31.0	1019	8
Jacobsen	JS0655PCE ⇗	PCE	106	**245.4**	15.7	41	32.4	1022	7
Viking | Blue River	49-05 ⇗	CONV	105	**244.8**	15.2	88	29.2	1025	6
Renk	RK7577SSPRO ⇗	STXP	107	241.6	15.9	44	33.3	1004	9
Wyffels	W4514RIB ⇗	PCE	106	240.6	15.9	75	31.5	999	10
Enestvedt	E595 ⇗	CONV	106	239.2	15.9	48	31.9	994	11
Augusta	A2356-CONV ⇗	CONV	106	234.2	15.8	20	33.3	975	13
Cornelius	C6377TRE ⇗	TRE	103	233.8	14.8	62	30.1	982	12
Renk	RK705VT4PRO ⇗	VT4P	105	231.8	15.6	55	30.6	967	14
Augusta	A2254-CONV ⇗	CONV	104	230.8	15.5	51	31.9	963	15
Augusta	A2355-CONV ⇗	CONV	105	229.9	15.5	71	30.6	960	16
Wyffels	W4889 ⇗	STXP	107	227.8	15.8	62	33.3	948	18
Renk	RK6640TRE ⇗	TRE	103	226.2	14.4	42	31.9	950	17
Jacobsen	JS0715SSP ⇗	STXP	107	225.5	15.8	46	32.8	938	19
Titan Pro	67-07SSP GC ⇗	STXP	107	223.3	16.0	54	29.7	926	20
Cornelius	C6618 ⇗	CONV	106	221.1	16.5	44	31.0	912	24
Pioneer	P05737PCE GC ⇗	PCE	105	220.0	15.4	54	32.8	920	21
Wyffels	W3654RIB ⇗	PCE	104	219.7	15.6	94	33.3	917	22
Cornelius	C6523 ⇗	CONV	105	219.3	15.6	72	29.2	915	23
Renk	RK6690PCE ⇗	PC	105	218.1	15.5	72	30.6	911	25
Enestvedt	E526 ⇗	CONV	105	217.6	16.5	58	33.3	898	27
Wyffels	W4487RIB ⇗	VT4P	106	215.2	14.8	41	33.7	904	26
Renk	RK6671SSPRO ⇗	STXP	104	211.7	15.2	62	30.1	887	28
Epley	E1450 ⇗	CONV	104	211.0	15.7	69	32.4	879	29
Enestvedt	E556SSP RIB ⇗	STXP	105	207.6	15.9	32	31.0	862	30
Epley	E1340 ⇗	CONV	103	206.0	15.5	82	32.4	860	31
Pioneer	P03951PCE CK	PCE	103	249.6	15.5	60	31.0	1042	4
			Averages =	**226.3**	**15.7**	**57**	**31.8**	**942**	
			LSD (0.10) =	16.0	0.6	ns			
			LSD (0.25) =	8.4	0.3	ns			
			C.V. =	6.7					

Historic yield: 222.91 bu/a, 25 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Report Date: 11/02/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**


©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Minnesota Southeast [MNSE]

Weather Conditions Summary at KASSON, MN

Weather Data Retrieved: 11/02/2026


Monthly Total	Apr*	May	Jun	Jul	Aug	Sep	Oct*	Total
Precip (in) | (Diff)	1.0 | 0.7 (+0.3)	1.4 | 4.0 (-2.6)	3.3 | 4.5 (-1.2)	4.5 | 4.5 (0.0)	2.9 | 3.2 (-0.3)	4.7 | 3.1 (+1.6)	1.5 | 1.7 (-0.2)	19.4 | 21.7 (-2.3)
GDU | Avg (Diff)	68 | 0 (+68)	312 | 273 (+38)	509 | 560 (-51)	729 | 643 (+85)	548 | 567 (-19)	400 | 393 (+6)	258 | 92 (+165)	2824 | 2530




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.


Macronutrients



Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

2026 Corn - Minnesota Southeast [MNSE]

Ultra Early-Season Test Products (23 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4595	CONV	N	95	AL2500
Augusta	A2146-DV-EZ	DV	Y	96	CM,C2
Augusta	A2246-CONV	CONV	N	96	CM,C5
Augusta	A2246-PCE	PCE	N	96	CM,C5
Augusta	A4143-3110	3110	N	93	CM,C2
Augusta	A4146-V	V	Y	96	CM,C5
DeKalb	DKC96-96RIB	V	Y*	96	AC,P5V,EDC-EL
Enestvedt	E654	CONV	N	96	CM,C2,Vi,Va
Enestvedt	E656TRE	TRE	Y	96	AC,P5
Enestvedt	E664	CONV	N	96	CM,C2,Vi,Va
Hoegemeyer	6370PCE	PCE	Y	93	Lum, L1
Hoegemeyer	6643PCE	PCE	Y	96	Lum, L1
Pioneer	P92399PCE	PCE	Y*	92	Lum, L1
Pioneer	P92399V	V	Y	92	Lum, L1
Prairie Hybrids	591 ORG	ORG	N	95	L,L,A5E
Renk	RK444SSTX	STX	Y	95	AC,P5
Renk	RK4545AV	V	N	93	AC,P5
Renk	RK4656PCE	PC	N	93	CM,C2,Vi
Renk	RK4696SSPRO	STXP	N	95	AC,P5
Renk	RK5652PCE	PC	N	96	CM,C2,Vi
Titan Pro	41-96 SSP	STXP	Y	96	LumPro P2
Titan Pro	54-94 PCE	PCE	Y	94	LumPro P2
Wyffels	W1487	VT4P	N	95	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southeast [MNSE]

Early-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	6698	CONV	N	98	CM,C5,Vi,Va
Anderson	747SSP	STXP	N	98	AC,P5V
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A3152-PWE	PCE	N	102	CM,C5
Augusta	A4050-DS	DS	Y	100	CM,C5
Augusta	A4052-DV	DV	Y	102	CM,C5
Augusta	A4248-V	V	Y	98	CM,C5
Cornelius	C5917	CONV	Y*	99	CM,C2,Vi,Va
Cornelius	C6034PCE	PCE	N	100	CM,C2,Vi,Va
Cornelius	C6163TRE	TRE	N	101	AC,P5V
DeKalb	DKC101-33RIB	STXP	N*	101	AC,P5V,EDC-EL
DeKalb	DKC102-18	STXP	Y	102	AC,P5V,EDC-EL
Enestvedt	E514	CONV	N	103	CM,C2,Vi,Va
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Hoegemeyer	7047V	VE	Y	100	Lum, L1
Hoegemeyer	7108V	VE	Y	101	Lum, L1
Integra	4796 SSPRORIB	STXP	Y	97	AC,P5,N314,SU
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5136 PCE	PC	Y	101	AC,P5,N314,SU
Jacobsen	JS0205TRE	TRE	N	102	Treated
Pioneer	P02405	PCE	N*	102	Lum, L1
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Renk	RK5518TRE	TRE	N	97	AC,P5
Renk	RK5670VT4PRO	VT4P	N	99	AC,P5
Renk	RK5699TRE	TRE	N	100	AC,P5
Renk	RK630TRE	TRE	N	102	AC,P5
Renk	RK6610PCE	PC	N	101	CM,C2,Vi
Titan Pro	51-01 SSP	STXP	Y	101	LumPro P2
Titan Pro	55-99	CONV	N	99	LumPro P2
Titan Pro	56-01	CONV	N	101	LumPro P2
Titan Pro	57-01 PCE	PCE	Y	101	LumPro P2
Titan Pro	62-02 SSP	STXP	Y	102	AC,P5V,EDC-EL
Viking | Blue River	67-00	CONV	N	100	CM,C2
Wyffels	W2105	TRE	N	99	AC,P5V
Wyffels	W2674RIB	PCE	Y*	101	CM,C2,Vi,Va
Wyffels	W2867	VT4P	N	102	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southeast [MNSE]

Full-Season Test Products (35 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2254-CONV	CONV	N	104	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C2
Augusta	A2356-CONV	CONV	N	106	CM,C2
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Cornelius	C6377TRE	TRE	N	103	CM,C2,Vi,Va
Cornelius	C6523	CONV	N	105	CM,C2,Vi,Va
Cornelius	C6618	CONV	N	106	CM,C2,Vi,Va
DeKalb	DKC56-26RIB	TRE	Y*	106	AC,P5V,EDC-EL
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E526	CONV	N	105	CM,C5,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E556SSP RIB	STXP	Y	105	AC,P5
Enestvedt	E595	CONV	N	106	CM,C2,Vi,Va
Epley	E1340	CONV	N	103	Vi5
Epley	E1450	CONV	N	104	Vi5
Hoegemeyer	7369V	VE	Y	103	Lum, L1
Jacobsen	JS0593PCE	PCE	Y	105	Treated
Jacobsen	JS0655PCE	PCE	N	106	Treated
Jacobsen	JS0715SSP	STXP	N	107	Treated
Kluver Farms	RWK 07-201	CONV	N	107	NA
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P05737PCE	PCE	Y	105	Lum, L1
Renk	RK6640TRE	TRE	N	103	AC,P5
Renk	RK6671SSPRO	STXP	N	104	AC,P5
Renk	RK6690PCE	PC	N	105	CM,C2,Vi
Renk	RK705VT4PRO	VT4P	N	105	AC,P5
Renk	RK7577SSPRO	STXP	N	107	AC,P5
Titan Pro	67-07SSP	STXP	Y	107	AC,P5V,EDC-EL
Viking | Blue River	49-05	CONV	U	105	CM,C2
Viking | Blue River	75-07	CONV	N	107	CM,C2
Wyffels	W3654RIB	PCE	Y*	104	AC,P5V
Wyffels	W4487RIB	VT4P	Y*	106	CM,C2,Vi,Va
Wyffels	W4514RIB	PCE	Y*	106	CM,C2,Vi,Va
Wyffels	W4545	TRE	N	106	AC,P5V
Wyffels	W4889	STXP	N	107	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DS	Durastak™ (NOTE: Approval required from all major corn importing countries prior to March 31. An exception may be possible in some FIRST regions. Please check with the Field Manager of a region of interest _before_ entering technologies with export limitations.)
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
ORG	Organic certified, conventional
PC	PowerCore®
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P5	Acceleron® 500
AC,P5,N314,SU	Acceleron® Poncho 500, N-314 STEPUP
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
AL2500	Alert 2500, Surefire
CM,C2	CruiserMaxx® 250
CM,C2,Vi	CruiserMaxx® 250 with Vibrance
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
CM,C5,Vi,Va	CruiserMaxx® 500 with Vibrance, Vayantis®
L,L,A5E	LumiscendPro, Lumiflex, Actellic 5E
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.