first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NERSTRAND, MN

Schrader Grain, Rice County, MN

Ultra Early-Season Test	**92** - **96** Day CRM B2026MNSE08u
Top 23 of 23	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Zidua Pro, Roundup Powermax, Enlist, Dual
SOIL DESCRIPTION:	Port Byron silt loam, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 6.16 pH, 4.18% OM, 14.27 CEC, low P, medium K, low S, high B, high Zn
CROP PROTECTION:	Aztec (I), Kyro (H), Atrazine (H), Aproach Prima (F)
FERTILITY - Applied N:	10 Fall, 80 Spring, 70 Sidedress, 20 lb Sulfur
Applied N-P-K (units):	160-49-52
SEEDED - RATE - ROW:	May 22 35.2 /A 30" spacing
HARVESTED - STAND:	Nov 1 33.6 /A
PEST & DISEASE RISK:	Northern Corn Leaf Blight*

TEST COMMENTS:

Planting conditions were excellent here, though the moisture was below average in May and June. One cultivation was performed in June to minimize a woolly cupgrass weed escape in this conventionally sprayed field. Fungicide was applied by helicopter at the silk stage. Plant health was very good at harvest, and the height was above average. A bit more rain from pollination through the end of August would have pushed yields further.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Augusta	A2246-CONV ⇗	CONV	96	**279.0**	16.5	0	34.2	1150	1
Renk	RK4656PCE ⇗	PC	93	**269.9**	16.5	0	33.7	1114	2
Enestvedt	E656TRE ⇗	TRE	96	**268.8**	16.4	0	33.7	1110	3
Hoegemeyer	6643PCE ⇗	PCE	96	265.0	16.3	0	30.1	1095	4
Renk	RK5652PCE ⇗	PC	96	261.7	16.3	0	33.3	1082	5
Enestvedt	E654 ⇗	CONV	96	260.7	16.3	0	33.3	1078	6
Enestvedt	E664 ⇗	CONV	96	259.9	16.4	0	33.3	1073	7
Augusta	A2246-PCE ⇗	PCE	96	258.8	16.2	0	34.6	1071	8
Prairie Hybrids	591 ORG ⇗	ORG	95	258.1	16.4	0	32.8	1066	9
Anderson	4595 ⇗	CONV	95	257.7	16.5	0	33.7	1063	10
Titan Pro	41-96 SSP ⇗	STXP	96	253.4	16.5	0	34.2	1045	11
Augusta	A2146-DV-EZ ⇗	DV	96	251.5	16.9	0	33.3	1032	12
Hoegemeyer	6370PCE ⇗	PCE	93	249.0	16.3	0	32.8	1030	13
Titan Pro	54-94 PCE ⇗	PCE	94	247.7	16.2	0	33.7	1025	14
Renk	RK4696SSPRO ⇗	STXP	95	246.6	16.2	0	33.7	1021	15
DeKalb	DKC96-96RIB GC ⇗	V	96	245.3	16.5	0	34.2	1012	16
Wyffels	W1487 ⇗	VT4P	95	241.1	16.3	0	34.6	997	17
Augusta	A4143-3110 ⇗	3110	93	237.6	16.4	0	34.2	981	18
Renk	RK444SSTX ⇗	STX	95	233.2	16.3	0	32.8	965	19
Augusta	A4146-V ⇗	V	96	231.6	16.1	0	34.6	960	20
Pioneer	P92399V GC ⇗	V	92	230.3	16.1	0	32.8	954	21
Pioneer	P92399PCE GC ⇗	PCE	92	222.2	16.3	0	33.7	918	22
Renk	RK4545AV ⇗	V	93	222.0	16.5	0	34.2	916	23
			Averages =	**250.1**	**16.4**		**33.6**	**1033**	
			LSD (0.10) =	15.4	ns	ns			
			LSD (0.25) =	8.1	ns	ns			
			C.V. =	5.8					

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Historic yield: 223.18 bu/a, 6 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/02/2026

Additional reports available at **www.firstseedtests.com**

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NERSTRAND, MN

Schrader Grain, Rice County, MN

Early-Season Test	**97** - **102** Day CRM B2026MNSE08a
Top 30 of 36	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Zidua Pro, Roundup Powermax, Enlist, Dual
SOIL DESCRIPTION:	Port Byron silt loam, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 6.16 pH, 4.18% OM, 14.27 CEC, low P, medium K, low S, high B, high Zn
CROP PROTECTION:	Aztec (I), Kyro (H), Atrazine (H), Aproach Prima (F)
FERTILITY - Applied N:	10 Fall, 80 Spring, 70 Sidedress, 20 lb Sulfur
Applied N-P-K (units):	160-49-52
SEEDED - RATE - ROW:	May 22 35.2 /A 30" spacing
HARVESTED - STAND:	Nov 1 33.5 /A
PEST & DISEASE RISK:	Northern Corn Leaf Blight*

TEST COMMENTS:

Planting conditions were excellent here, though the moisture was below average in May and June. One cultivation was performed in June to minimize a woolly cupgrass weed escape in this conventionally sprayed field. Fungicide was applied by helicopter at the silk stage. Plant health was very good at harvest, and the height was above average. A bit more rain from pollination through the end of August would have pushed yields further.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Titan Pro	57-01 PCE ⇗	PCE	101	**274.8**	16.4	0	33.7	1135	3
Wyffels	W2867 ⇗	VT4P	102	**274.7**	15.8	0	33.7	1142	1
Wyffels	W2674RIB ⇗	PCE	101	**274.5**	16.3	0	33.7	1135	4
Viking | Blue River	67-00 ⇗	CONV	100	**274.4**	16.0	0	32.8	1139	2
Titan Pro	56-01 ⇗	CONV	101	**272.5**	16.1	0	34.6	1130	5
Integra	5136 PCE ⇗	PC	101	**268.5**	16.5	0	34.2	1108	6
Wyffels	W2105 ⇗	TRE	99	264.3	16.0	3	32.8	1097	7
Cornelius	C6163TRE ⇗	TRE	101	263.8	16.0	0	34.2	1094	8
Enestvedt	*E514 ⇗*	*CONV*	*103*	*263.0*	*16.7*	*0*	*32.8*	*1082*	*10*
Jacobsen	JS0205TRE ⇗	TRE	102	261.8	16.2	0	33.7	1084	9
Renk	RK6610PCE ⇗	PC	101	261.4	16.4	0	33.3	1079	11
Hoegemeyer	7108V ⇗	VE	101	260.0	16.2	1	33.3	1076	12
Cornelius	C6034PCE ⇗	PCE	100	259.2	16.3	0	33.7	1071	13
Augusta	A3152-PWE ⇗	PCE	102	257.6	16.3	0	32.8	1065	15
Titan Pro	55-99 ⇗	CONV	99	255.7	16.3	0	33.7	1057	16
Integra	5055 VT4PRIB ⇗	VT4P	100	254.5	16.5	0	33.7	1050	17
Anderson	747SSP ⇗	STXP	98	253.4	16.2	0	32.8	1049	18
Hoegemeyer	7047V ⇗	VE	100	251.5	16.5	0	33.7	1038	20
Renk	RK5518TRE ⇗	TRE	97	251.1	16.2	0	34.2	1039	19
Renk	RK5699TRE ⇗	TRE	100	250.3	16.5	3	32.4	1032	22
Pioneer	P02405 GC ⇗	PCE	102	249.4	16.1	0	33.3	1034	21
DeKalb	DKC101-33RIB GC ⇗	STXP	101	245.8	16.4	3	33.7	1015	24
Renk	RK630TRE ⇗	TRE	102	245.0	15.9	4	32.8	1018	23
Augusta	A4050-DS ⇗	DS	100	244.6	16.2	0	33.7	1012	25
Titan Pro	51-01 SSP ⇗	STXP	101	242.4	16.5	0	32.4	1000	26
Enestvedt	E539 ⇗	CONV	102	238.3	16.0	7	33.7	989	27
DeKalb	DKC102-18 GC ⇗	STXP	102	237.2	16.2	1	33.7	982	28
Augusta	A4052-DV ⇗	DV	102	236.8	16.7	1	32.8	975	29
Cornelius	C5917 ⇗	CONV	99	235.5	16.3	0	33.3	973	30
Anderson	6698 ⇗	CONV	98	231.8	16.3	1	34.6	959	31
Pioneer	P03951PCE CK	PCE	103	258.6	16.3	0	33.3	1069	14
			Averages =	**250.7**	**16.3**	**2**	**33.5**	**1037**	
			LSD (0.10) =	16.5	ns	5			
			LSD (0.25) =	8.6	ns	2			
			C.V. =	6.2					

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Historic yield: 223.18 bu/a, 6 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/02/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Southern MN FIRST New Richland, MN

2026 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NERSTRAND, MN

Schrader Grain, Rice County, MN

Full-Season Test	**103** - **107** Day CRM B2026MNSE08b
Top 30 of 35	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Zidua Pro, Roundup Powermax, Enlist, Dual
SOIL DESCRIPTION:	Port Byron silt loam, well drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 6.16 pH, 4.18% OM, 14.27 CEC, low P, medium K, low S, high B, high Zn
CROP PROTECTION:	Aztec (I), Kyro (H), Atrazine (H), Aproach Prima (F)
FERTILITY - Applied N:	10 Fall, 80 Spring, 70 Sidedress, 20 lb Sulfur
Applied N-P-K (units):	160-49-52
SEEDED - RATE - ROW:	May 22 35.2 /A 30" spacing
HARVESTED - STAND:	Nov 1 33.2 /A
PEST & DISEASE RISK:	Northern Corn Leaf Blight*

TEST COMMENTS:

Planting conditions were excellent here, though the moisture was below average in May and June. One cultivation was performed in June to minimize a woolly cupgrass weed escape in this conventionally sprayed field. Fungicide was applied by helicopter at the silk stage. Plant health was very good at harvest, and the height was above average. A bit more rain from pollination through the end of August would have pushed yields further.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Cornelius	C6523 ⇗	CONV	105	**295.0**	16.4	0	33.3	1219	1
Wyffels	W4545 ⇗	TRE	106	**280.7**	16.4	0	33.7	1160	2
Wyffels	W4514RIB ⇗	PCE	106	**279.5**	16.9	0	32.8	1148	3
Epley	E1450 ⇗	CONV	104	**274.2**	16.4	0	34.2	1132	6
Augusta	A2356-CONV ⇗	CONV	106	**274.1**	16.2	3	32.4	1135	4
Enestvedt	E526 ⇗	CONV	105	273.7	16.2	0	34.6	1133	5
Wyffels	W4889 ⇗	STXP	107	270.5	16.1	0	32.8	1121	7
Enestvedt	E541 ⇗	CONV	106	269.3	16.3	0	32.4	1114	8
Augusta	A2254-CONV ⇗	CONV	104	269.2	16.5	1	31.0	1111	9
Viking | Blue River	75-07 ⇗	CONV	107	268.1	16.1	0	32.8	1111	10
Jacobsen	JS0655PCE ⇗	PCE	106	266.5	16.3	1	34.2	1102	12
Titan Pro	67-07SSP GC ⇗	STXP	107	266.4	16.6	0	34.6	1097	15
Augusta	A3255-D-EZ ⇗	D	105	266.4	16.3	0	33.7	1102	13
Augusta	A2355-CONV ⇗	CONV	105	265.9	16.3	1	33.3	1099	14
Cornelius	C6377TRE ⇗	TRE	103	265.3	15.6	0	32.8	1106	11
Viking | Blue River	49-05 ⇗	CONV	105	264.7	16.4	1	33.7	1093	16
Enestvedt	E523 ⇗	CONV	107	264.5	17.0	0	34.6	1084	20
Epley	E1340 ⇗	CONV	103	262.9	16.3	0	28.3	1088	17
Cornelius	C6618 ⇗	CONV	106	262.8	16.3	0	34.2	1087	18
Renk	RK6640TRE ⇗	TRE	103	262.5	16.2	0	33.3	1086	19
Renk	RK6690PCE ⇗	PC	105	261.5	16.8	0	33.3	1075	23
Renk	RK6671SSPRO ⇗	STXP	104	261.2	16.4	2	34.2	1078	21
Renk	RK705VT4PRO ⇗	VT4P	105	260.4	16.4	1	34.2	1075	24
Wyffels	W3654RIB ⇗	PCE	104	260.3	16.2	0	28.8	1078	22
Hoegemeyer	7369V ⇗	VE	103	258.7	16.2	0	31.5	1071	26
Wyffels	W4487RIB ⇗	VT4P	106	255.7	16.3	1	33.7	1057	27
Jacobsen	JS0593PCE ⇗	PCE	105	253.3	16.2	0	33.7	1048	28
DeKalb	DKC56-26RIB GC ⇗	TRE	106	248.8	16.0	4	34.6	1033	29
Renk	RK7577SSPRO ⇗	STXP	107	248.0	16.2	6	32.4	1027	30
Jacobsen	JS0715SSP ⇗	STXP	107	247.5	16.2	1	33.3	1025	31
Pioneer	P03951PCE CK	PCE	103	260.2	16.3	0	33.7	1075	25
			Averages =	**261.5**	**16.3**	**1**	**33.2**	**1081**	
			LSD (0.10) =	12.3	ns	ns			
			LSD (0.25) =	6.4	ns	ns			
			C.V. =	4.4					

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Historic yield: 223.18 bu/a, 6 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/02/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**


©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Minnesota Southeast [MNSE]

Weather Conditions Summary at NERSTRAND, MN

Weather Data Retrieved: 11/02/2026


Monthly Total	May*	Jun	Jul	Aug	Sep	Oct	Nov*	Total
Precip (in) | (Diff)	2.4 | 3.8 (-1.4)	3.4 | 4.5 (-1.1)	3.2 | 3.7 (-0.5)	2.3 | 4.0 (-1.7)	5.3 | 2.8 (+2.5)	1.8 | 2.5 (-0.7)	0.0 | 0.0 (0.0)	18.5 | 21.3 (-2.8)
GDU | Avg (Diff)	282 | 251 (+30)	524 | 577 (-53)	735 | 660 (+74)	578 | 572 (+5)	435 | 407 (+27)	274 | 95 (+178)	5 | 0 (+5)	2833 | 2565



* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.


Macronutrients



Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

2026 Corn - Minnesota Southeast [MNSE]

Ultra Early-Season Test Products (23 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4595	CONV	N	95	AL2500
Augusta	A2146-DV-EZ	DV	Y	96	CM,C2
Augusta	A2246-CONV	CONV	N	96	CM,C5
Augusta	A2246-PCE	PCE	N	96	CM,C5
Augusta	A4143-3110	3110	N	93	CM,C2
Augusta	A4146-V	V	Y	96	CM,C5
DeKalb	DKC96-96RIB	V	Y*	96	AC,P5V,EDC-EL
Enestvedt	E654	CONV	N	96	CM,C2,Vi,Va
Enestvedt	E656TRE	TRE	Y	96	AC,P5
Enestvedt	E664	CONV	N	96	CM,C2,Vi,Va
Hoegemeyer	6370PCE	PCE	Y	93	Lum, L1
Hoegemeyer	6643PCE	PCE	Y	96	Lum, L1
Pioneer	P92399PCE	PCE	Y*	92	Lum, L1
Pioneer	P92399V	V	Y	92	Lum, L1
Prairie Hybrids	591 ORG	ORG	N	95	L,L,A5E
Renk	RK444SSTX	STX	Y	95	AC,P5
Renk	RK4545AV	V	N	93	AC,P5
Renk	RK4656PCE	PC	N	93	CM,C2,Vi
Renk	RK4696SSPRO	STXP	N	95	AC,P5
Renk	RK5652PCE	PC	N	96	CM,C2,Vi
Titan Pro	41-96 SSP	STXP	Y	96	LumPro P2
Titan Pro	54-94 PCE	PCE	Y	94	LumPro P2
Wyffels	W1487	VT4P	N	95	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southeast [MNSE]

Early-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	6698	CONV	N	98	CM,C5,Vi,Va
Anderson	747SSP	STXP	N	98	AC,P5V
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A3152-PWE	PCE	N	102	CM,C5
Augusta	A4050-DS	DS	Y	100	CM,C5
Augusta	A4052-DV	DV	Y	102	CM,C5
Augusta	A4248-V	V	Y	98	CM,C5
Cornelius	C5917	CONV	Y*	99	CM,C2,Vi,Va
Cornelius	C6034PCE	PCE	N	100	CM,C2,Vi,Va
Cornelius	C6163TRE	TRE	N	101	AC,P5V
DeKalb	DKC101-33RIB	STXP	N*	101	AC,P5V,EDC-EL
DeKalb	DKC102-18	STXP	Y	102	AC,P5V,EDC-EL
Enestvedt	E514	CONV	N	103	CM,C2,Vi,Va
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Hoegemeyer	7047V	VE	Y	100	Lum, L1
Hoegemeyer	7108V	VE	Y	101	Lum, L1
Integra	4796 SSPRORIB	STXP	Y	97	AC,P5,N314,SU
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5136 PCE	PC	Y	101	AC,P5,N314,SU
Jacobsen	JS0205TRE	TRE	N	102	Treated
Pioneer	P02405	PCE	N*	102	Lum, L1
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Renk	RK5518TRE	TRE	N	97	AC,P5
Renk	RK5670VT4PRO	VT4P	N	99	AC,P5
Renk	RK5699TRE	TRE	N	100	AC,P5
Renk	RK630TRE	TRE	N	102	AC,P5
Renk	RK6610PCE	PC	N	101	CM,C2,Vi
Titan Pro	51-01 SSP	STXP	Y	101	LumPro P2
Titan Pro	55-99	CONV	N	99	LumPro P2
Titan Pro	56-01	CONV	N	101	LumPro P2
Titan Pro	57-01 PCE	PCE	Y	101	LumPro P2
Titan Pro	62-02 SSP	STXP	Y	102	AC,P5V,EDC-EL
Viking | Blue River	67-00	CONV	N	100	CM,C2
Wyffels	W2105	TRE	N	99	AC,P5V
Wyffels	W2674RIB	PCE	Y*	101	CM,C2,Vi,Va
Wyffels	W2867	VT4P	N	102	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Minnesota Southeast [MNSE]

Full-Season Test Products (35 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2254-CONV	CONV	N	104	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C2
Augusta	A2356-CONV	CONV	N	106	CM,C2
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Cornelius	C6377TRE	TRE	N	103	CM,C2,Vi,Va
Cornelius	C6523	CONV	N	105	CM,C2,Vi,Va
Cornelius	C6618	CONV	N	106	CM,C2,Vi,Va
DeKalb	DKC56-26RIB	TRE	Y*	106	AC,P5V,EDC-EL
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E526	CONV	N	105	CM,C5,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E556SSP RIB	STXP	Y	105	AC,P5
Enestvedt	E595	CONV	N	106	CM,C2,Vi,Va
Epley	E1340	CONV	N	103	Vi5
Epley	E1450	CONV	N	104	Vi5
Hoegemeyer	7369V	VE	Y	103	Lum, L1
Jacobsen	JS0593PCE	PCE	Y	105	Treated
Jacobsen	JS0655PCE	PCE	N	106	Treated
Jacobsen	JS0715SSP	STXP	N	107	Treated
Kluver Farms	RWK 07-201	CONV	N	107	NA
Pioneer	P03951PCE	PCE	N*	103	Lum, L1
Pioneer	P05737PCE	PCE	Y	105	Lum, L1
Renk	RK6640TRE	TRE	N	103	AC,P5
Renk	RK6671SSPRO	STXP	N	104	AC,P5
Renk	RK6690PCE	PC	N	105	CM,C2,Vi
Renk	RK705VT4PRO	VT4P	N	105	AC,P5
Renk	RK7577SSPRO	STXP	N	107	AC,P5
Titan Pro	67-07SSP	STXP	Y	107	AC,P5V,EDC-EL
Viking | Blue River	49-05	CONV	U	105	CM,C2
Viking | Blue River	75-07	CONV	N	107	CM,C2
Wyffels	W3654RIB	PCE	Y*	104	AC,P5V
Wyffels	W4487RIB	VT4P	Y*	106	CM,C2,Vi,Va
Wyffels	W4514RIB	PCE	Y*	106	CM,C2,Vi,Va
Wyffels	W4545	TRE	N	106	AC,P5V
Wyffels	W4889	STXP	N	107	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DS	Durastak™ (NOTE: Approval required from all major corn importing countries prior to March 31. An exception may be possible in some FIRST regions. Please check with the Field Manager of a region of interest _before_ entering technologies with export limitations.)
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
ORG	Organic certified, conventional
PC	PowerCore®
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P5	Acceleron® 500
AC,P5,N314,SU	Acceleron® Poncho 500, N-314 STEPUP
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
AL2500	Alert 2500, Surefire
CM,C2	CruiserMaxx® 250
CM,C2,Vi	CruiserMaxx® 250 with Vibrance
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
CM,C5,Vi,Va	CruiserMaxx® 500 with Vibrance, Vayantis®
L,L,A5E	LumiscendPro, Lumiflex, Actellic 5E
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.